PLANNING COMMISSION

MAYOR JAY MCGOWAN

CITY ADMINISTRATOR ROBERT OMANS

DESIGNATED CITY PLANNER
GREGG DOHRN with assistance
from MEAGAN HAYES

CITY CLERK
KATHI SWANSON

Agenda March 15, 2022 6:00 p.m.



119 W FIRST STREET CLE ELUM, WA 98922 PLANNING COMMISSION
GARY BERNDT
VACANT
MATT FLUEGGE
LIZ KURTZ
ELIZABETH TORREY

CITIZEN ALTERNATE VACANT

To ensure public safety, Planning Commission meetings are currently be held exclusively via Zoom. Connection information is available on the second page.

1. Call to Order & Roll Call

- a. Reminder Commissioner Fluegge will not be present at the meeting and has been excused by the Chair
- 2. Set Agenda
- 3. Adoption of Minutes
 - a. March 1, 2022
- 4. Staff Report
 - a. Designated City Planner, Mr. Gregg Dohrn
 - i. Update to City Planner position
 - ii. Update to Planning Commission vacancies
 - iii. Other updates
- 5. New Business
 - a. Critical Areas Checklist initial review
- 6. Unfinished Business
 - a. Final review draft Critical Areas Ordinance
 - i. Review includes:
 - 1. Buffers
 - a. See included examples
 - 2. Definitions (reviewed adjacent to WAC and confirmed compliant/accurate)
 - 3. Updated financial guarantee
 - ii. Potential to schedule public hearing for April 19, 2022
- 7. Next Meeting Agenda Development
- 8. Citizen Comments on Non-Agenda Items (limited to 5 minutes)
- 9. Report of Committees
 - a. Commission reports on ongoing committee projects
- 10. Commissioner Comments and Discussion
- 11. Adjournment

City of Cle Elum is inviting you to a scheduled Zoom meeting.

Topic: Regular Meeting of the Cle Elum Planning Commission Time: Mar 15, 2022 06:00 PM Pacific Time (US and Canada)

Join Zoom Meeting

 $\underline{https://us06web.zoom.us/j/87254155736?pwd} = \underline{cEtWdTNDWnFkZkNSZINMLzhrd2pQZz09}$

Meeting ID: 872 5415 5736

Passcode: 99328One tap mobile
+12532158782,,87254155736#,,,,*99328# US (Tacoma)

Dial by your location

+1 253 215 8782 US (Tacoma)

Find your local number: https://us06web.zoom.us/u/kbBWxRKx7b

1		CITY OF CLE ELUM
2		PLANNING COMMISSION MEETING
3		DRAFT - Meeting Minutes
4		March 1, 2022 6:0pm Zoom Meeting
5 6	1.	Call to Order & Roll Call
	1.	
7		Chair Berndt called the meeting to order at 6:01pm.
8		Commission members present: Chair Berndt, Commissioner Torrey,
9		Commissioner Kurtz, and Commission Fluegge
10		Commission members absent: None
11	•	Staff present: Meagan Hayes and Gregg Dohrn
12	2.	Set Agenda
13		A motion was made by Commissioner Torrey and seconded by Commissioner Kurtz to
14		accept the agenda as presented; none opposed. Motion carries and the meeting agenda is
15	•	set.
16	3.	Adoption of Minutes
17		A motion was made by commission Kurtz and seconded by Commissioner Torrey to
18		approve the February 1, 2022, and February 15, 2022 meeting minutes as presented; none
19		opposed. Minutes approved.
20	4.	Staff Report
21		a. Mr. Gregg Dohrn, Designated City Planner
22		i. Mr. Dohrn provided an update to the upcoming Comprehensive Plan and
23		Development Regulation docketing process, noting that the opportunity to
24		submit will officially open on March 3, 2022. Mr. Dohrn informed the
25		commission that there are at least three predicted docket requests to be
26		submitted, but a final docket list will not be available until the submittal
27		period ends. It is anticipated that the commission will be presented with all
28		received dockets at the first meeting in April.
29		ii. Mr. Dohrn informed the commission that a Notice of Decision was issued for
30		the City Heights development project. The Notice of Decision was for the
31		"Approval for City Heights Phase 1 Clearing, Grading, and Infrastructure
32		Plans and Issuance of Updated Clearing, Excavation, and Land Filling
33		Permit".
34	5.	Unfinished Business
35		a. Draft Critical Areas Ordinance Review and Discussion
36		i. Mr. Dohrn presented the updated draft to the Critical Areas Ordinance,
37		specifically identifying changes made in following the direction received from
38		the Planning Commission at the previous meeting.
39		 Commissioner Torrey offered support of the proposal to leave the
40		Flood Hazard Prevention Regulations and the Frequently Flooded
41		Areas regulation as separate chapters, recognizing that while they do
41		regulate the same lands, generally, they would be inappropriate to
43		combine. Commissioner Torrey also offered support of the Critical
44		Areas Checklist added within the draft and requested that a draft
45		checklist be available to review at the next meeting.

1		0	Commissioner Berndt presented numerous questions or clarifications
2			in review of the draft.
3			a. Financial guarantees: Commissioner Berndt offered concern
4			that 125% of the total value may not be enough. Staff will offer
5			language alternatives to the next draft for consideration.
6			b. Mitigation banking: Commissioner Berndt requested
7			information regarding the applicability of this proposed
8			section. Commissioner Torrey responded, stating that while
9			there are no active mitigation banks, the standard should be
10			included. Additionally, it was noted that the language offers
11			mitigation as an "optional" provision, and that applicants have
12			to prove effectiveness of their proposals.
13			c. The definition of development wetlands were requested to be
14			reviewed. Staff will confirm accuracy.
15			d. Onsite sewage systems and wells: Commissioner Berndt
16			requested clarification on the proposed language. Staff
17			responded that this language is not applicable to the City based
18			on existing standards, but is an oversight that should have been
19			removed from the County's CAO. Staff will update.
20		0	Commissioner Torrey offered additional insight regarding Best
21			Available Science as it relates to Riparian Management Zone buffers.
22			Current BAS does not segregate by stream type and manage
23			differently based on that typing; rather, all streams are buffered by the
24			"site potential tree height". If the City proceeds pursuing buffering
25			options that are not BAS, then the City will need to document rationale
26			and justification for doing so.
27			
28	6.	Next Meeting Ag	genda Development
29			nda will include:
30		i. Critica	al Areas Ordinance
31		0	Will incorporate revisions/discussions from meeting as well as
32			updating buffer information
33			al Areas Checklist
34		iii. Staff r	eport running items:
35		0	Update to City Planner position
36		0	Update to vacant Planning Commission positions
37	7.		ts on Non-Agenda Items (limited to 5 minutes)
38			661 Lower Peoh Pt. Rd., Cle Elum, WA
39			r provided the following comments related to the text amendment he
40			ember. Mr. Stauffer reminded the Commission that he submitted a code
41			osal in mid-December to prohibit the development of mobile home parks
42		_	Cle Elum. Since the last meeting, where he received direction from
43			osal would need to be considered during the annual amendment cycle,
44			th his attorney regarding the matter. Both Mr. Stauffer and his attorney
45		_	amendment should not be required to go through the docketing
46		process, as there a	are no proposed amendments to the Comprehensive Plan. Mr. Stauffer

- also noted that he received a letter from the Mayor which directed him to contact the City 1 Attorney with further questions. Overall, the City Attorney informed Mr. Stauffer that the 2 decision to proceed in this route was in following direction from the Mayor. Mr. Stauffer 3 read from a letter from his attorney which he provided to the City on February 25, 2022, which is attached hereto and incorporated by reference. Mr. Stauffer shared with the Commission that he continues to feel that his request is being kicked down the road and shared his concerns that the text amendment is time sensitive and should be reviewed and considered in a timely manner. Mr. Stauffer also informed the Commission that there was a typo on the City Website that said the City was not accepting applications – staff addressed immediately.
 - L. Sullivan, opted to not provide address or clarify first name
 - Mr. Sullivan offered support to Mr. Larry Stauffer's comments.
 - Jade Koskela, 22 Eagle Crest Court, Cle Elum
 - Mr. Koskela offered support to Mr. Larry Stauffer's comments.
 - All digital messaging from the Zoom meeting is herein attached and incorporated into the record by reference.

8. **Reports of Committees**

4

5

6

7

8 9

10

11

12

13

14

15

16 17

18

19 20

21

22

23

24

25

26

27

28

29

30

31

32 33

34

35

36

37

38 39

40

41

42

43

44 45 Commissioner Torrey clarified what committees there were to discuss. Commission Berndt stated he was working on the Fire Wise Committee. Commissioner Fluegge offered additional insight to standing committees.

9. **Commissioner Comments and Discussion**

- Commissioner Kurtz requested clarification on any changes to upcoming meeting type based on the upcoming changes to gatherings. Commissioner Berndt was unaware at the time of any upcoming changes. Staff will ensure that the Commission is notified should any changes to meeting venue be enabled as directed by the Mayor.
- b. Commissioner Torrey requested an update to the City Planner position. Staff informed the Commission that no applications have been received as of yet. Commissioner Torrey requested that this item be a standing item in the Staff Report as the position remains open. Commission members recommended that a wider recruitment breadth be explored and recommended the job posting be posted on organizational websites. Mr. Dohrn informed the Commission that staff has recommended to the City Administrator to post the job announcement on planning association pages to expand the search.
- Commissioner Fluegge requested an update on the vacant Planning Commission positions. Commissioner Berndt will follow up with the Mayor and provide an update at the next regular meeting.
- d. Commissioner Fluegge reminded the Commission that he will not be at the March 15, 2022 meeting; Commissioner Berndt stated that the absence would be excused.

Adjournment 10.

Chair Berndt called for a motion to adjourn. A motion was made by Kurtz and seconded by Fluegge to adjourn the regular meeting of the Cle Elum Planning Commission at 7:07 pm; none opposed. Meeting adjourned.

From: <u>Larry Stauffer</u>

To: <u>Gregg Dohrn; Gary Berndt; Meagan Hayes</u>

Subject: Carmody Letter-2

 Date:
 Friday, February 25, 2022 9:37:08 AM

 Attachments:
 MX-6070N 20220225 111103.pdf

[EXTERNAL EMAIL] DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.

Gary/Gregg/Megan

Attached is a letter from James Carmody. I ask that this letter and my previous correspondence be incorporated into the upcoming Planning Commision agenda for discussion.

I also ask that this email be forwarded on to the Planning Commision members in advance.

Sincerely Larry Stauffer

Sent from my iPhone

MEYER, FLUEGGE & TENNEY, P.S.

ROBERT C. TENNEY MARK D. WATSON* JEROME R. AIKEN* JOHN A. MAXWELL, JR. PETER M. RITCHIE** JAMES C. CARMODY

ATTORNEYS & COUNSELORS
230 SOUTH SECOND STREET, SUITE 101
P.O. BOX 22680
YAKIMA, WASHINGTON 98907-2680

SEAN M. WORLEY JACOB A. LARA KINDRA K. CRAWFORD ROBERT S. URLOCKER

*OF COUNSEL*GARY E. LOFLAND

carmody@mftlaw.com

*Also admitted in Oregon

**Also admitted in Oregon & Virginia

February 24, 2022

Via email

Honorable Jay McGowan, Mayor City of Cle Elum 119 West First Street Cle Elum, WA 98922 jmcgowan@cleelum.gov

Gary Berndt, Chairman Cle Elum Planning Commission City Hall – Attn: City Planner 119 West First Street Cle Elum, WA 98922 gberndt@cleelum.gov

Re: Ma

Manufactured/Mobile Home Community Zoning Study

Dear Mayor McGowan and Chairman Berndt:

We are writing as a follow-up to our correspondence of February 14, 2022 concerning a request that the Cle Elum Planning Commission consider text amendments to the zoning ordinance as it relates to Mobile Home Parks, Manufactured Housing Communities and Manufactured/Mobile Home Communities. While we did not receive a response to our correspondence we have been advised that our request for consideration of the zoning ordinance be tabled and considered at a later point and time in the context of the City's annual amendment process related to the comprehensive plan. We believe that the amendments are appropriate for current consideration and are not appropriate for the annual review process.

The proposal that has been made relates to a text amendment to the zoning ordinance. It does not involve an amendment to the comprehensive plan. The annual amendment process applies only to "…[a] change or revision in text or the goals, policies and objective principles or standards of the comprehensive plan." CEMC 17.122.030.

On the other hand, a text amendment to the zoning ordinance may be initiated by the City Council or a petition filed by property owner(s). The text amendment is considered through a public hearing with the City Council retaining authority for final amendment determinations. The established practice has been to provide the public hearing before the Cle Elum Planning Commission. The City has made numerous text amendments to the zoning ordinance following exactly this same process in recent times. We believe it is appropriate for the same process to be applied to this proposed amendment.

As a final point, the requested amendment does not change the current zoning ordinance prohibition on mobile home and/or manufactured home parks within municipal boundaries. As we previously noted, existing mobile homes are protected as nonconforming uses and structures. The text amendment simply clarifies the existing ordinance provisions so that there is no basis for misunderstanding or misinterpretation.

We appreciate your consideration of the request for the text amendment. We would be happy to discuss any aspect of our request with you at your convenience.

Very truly yours,

MEYER, FLUEGGE & TENNEY, P.S.

James C. Carmody

cc; Client

17:54:54 From City of Cle Elum to Everyone:

Good evening. Due to the technical difficulties we experienced at the last meeting with Live Streaming I opted to start the meeting early to give myself ample opportunity to get everything lined out. Fortunately no issues tonight!:)

We are up and running and will start the meeting at 6:00 pm. - Meagan Hayes

17:57:59 From City of Cle Elum to Everyone:

(repeating message for folks who recently joined): Good evening. Due to the technical difficulties we experienced at the last meeting with Live Streaming I opted to start the meeting early to give myself ample opportunity to get everything lined out. Fortunately no issues tonight!:)

We are up and running and will start the meeting at 6:00 pm. - Meagan Hayes

18:07:34 From Lynnea (Nilson) Thibodaux to Everyone:

Let's get rid of that one!

18:07:52 From Lynnea (Nilson) Thibodaux to Everyone:

Thank you....

18:10:15 From Lynnea (Nilson) Thibodaux to Everyone:

FYI, the last WSU webinar I attended (re forestry) required us to enter the Meeting ID # from a previously distributed email rec'd after registering to try to avoid the scammer/spammers...Phil Hess was there for those. Hi Phil!

18:46:22 From City of Cle Elum to Everyone:

I will also reach back out to the County and check in on the checklist.

18:46:45 From City of Cle Elum to Everyone:

Final draft will be presented at next regular meeting.

19:00:09 From Ingrid Vimont to Everyone:

will the zoom link be the same every week? I did not see an agenda for this evening's meeting on the Planning Commission website

19:01:48 From City of Cle Elum to Everyone:

Hi Ingrid. The Zoom link changes for each meeting. The agendas are posted at least 5 days prior to the meeting online here: https://cityofcleelum.com/boards-commissioners/planning-commission-meeting-agenda-and-minutes/

19:03:01 From Ingrid Vimont to Everyone:

Oh, lookie there! It is listed in 2021, so I didn't refer to that. Thank you!

19:05:52 From City of Cle Elum to Everyone:

Ingrid, it's under 2022. The left bar shows the different years, and the first window that pulls up should be 2022. If there are any issues with the website please let me know, and I can either refer the issue to the website admin or update the page if it's a simple slip/



KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US Office (509) 962-7506

"Building Partnerships - Building Communities"

PRELIMINARY SITE ANALYSIS

The PSA provides general information about a parcel and must be completed prior to applying for a building permit. Please provide a scaled Site

Plan with this application if project specific. This review will be completed within 7-10 business days.

FEE: \$370.00 (\$150.00 Community Development Fee + \$220 Public Works Fee)

1.	REQUESTER INFORMATION	
	Name:	Phone Number:
	Mailing Address:	
	Email:	Send PSA by: □ Email □ Mail
2.	ADDITIONAL CONTACT INFORMATION:	
	Name:	Phone Number:
	Mailing Address:	
	Email:	Send PSA by: □ Email □ Mail
	Name:	Phone Number:
	Mailing Address:	
	Email:	Send PSA by: □ Email □ Mail
3.	PROPERTY ADDRESS:	
4.	MAP OR PARCEL NUMBER:	
5.	PROJECT DESCRIPTION (Site Plan required if proposing a p	project) :
6.	ARE THERE OTHER BUILDINGS ON THE PROPERTY?	□ Yes □ No
	IF YES, PLEASE LIST THE TYPE OF BUILDINGS:	
7.	DOES THE PROPOSED PROJECT INCLUDE PLUMBING?	□ Yes □ No
	IS THERE AN EXISTING POTABLE WATER SOURCE?	□ Yes □ No
	IF YES, PLEASE SELECT ONE OF THE FOLLOWING:	□ Individual Well □ Shared Well □ Public Water System
8.	ARE GROUND DISTURBING ACTIVITIES ANTICIPATED?	□ Yes □ No ESTIMATED AMOUNT
are true	AUTHORIZAT acknowledge that I have read this application and certify under penalty of per and complete to the best of my knowledge. I agree to comply with all current of certify that I will pay all fees as required by law. All permit fees are non-refu	rjury under the laws of the State of Washington that the above answers codes, laws, regulations and permit requirements related to this project.
1 HELED		
i neteb	Signature of Applicant:	Date:
	Signature of Applicant:	Date:
	Signature of Applicant: cation Received By (CDS Staff Signature): Date:	

NOTE: Kittitas County CDS cannot guarantee eligibility for development until a complete and accurate application is submitted. **PSA applications expire after 365 days from the application date**



KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US Office (509) 962-7506

"Building Partnerships - Building Communities"

Critical Areas Checklist

The purpose of this checklist is to provide critical areas information to County staff to determine potential impacts of a project or action regulated under the Kittitas County Critical Areas Ordinances. Critical areas, including critical aquifer recharge areas (CARAS), fish and wildlife habitat conservation areas, frequently flooded areas, geologically hazardous areas and wetlands are regulated under KCC 17A to ensure these ecologically sensitive areas are protected. This checklist is designed to ensure any critical areas and/or buffer zones are accurately identified on or adjacent to the subject property and project area(s). Site plans should be to scale and include accurate measurements of critical areas and associated buffers.

A property owner or authorized representative must fill out the checklist completely and submit it to the County with their Preliminary Site Analysis (PSA) application. Information sources for each question are provided at the end of this document. CDS will review this checklist along with critical area information available to the County through Title 17A and make a determination of impacts. This determination will be included in the PSA results and will clarify if further critical area study is needed. Further critical areas study may include a site visit, critical areas report or other means of site investigation consistent with Title 17A. In the event that inadequate information is provided by the applicant with their PSA submittal, a critical areas determination may be withheld until sufficient information is provided.

Property Owner	
Legal Owner Name	
Mailing Address	
Email	
Contact Phone	
Applicant	
	ntical to above information
Name	
Mailing Address	
Email	
Contact Phone	
Contact Person	
	ntical to above information
Name	
Mailing Address	
Email	
Contact Phone	
Project Information	
Parcel Number	
Site Address	
Describe Proposal and Underlying Permit	

Please read our "Critical Areas Information Resources" page (below) before answering these questions.
1) Are you aware of any environmental documentation that has been prepared related to critical areas that includes the subject area?
Yes No Unknown If yes, please attach a list of document titles
2) Is the proposed site adjacent to, or does it include a body of water (e.g. exposed standing water, pond, year round or seasonal stream, river or lake)?
Yes No Unknown
3) Have any wetlands been identified within 300 feet of the project site?
Yes No Unknown
4) Is the project site within 300 feet of any areas consistent with wetland characteristics (open water, seasonal water, marsh areas, water saturated soils or wetland plants such as "cat tails")?
Yes No Unknown
5) Are there landslide hazards or slopes of 33% or greater within 50 feet of the project site?
Yes No Unknown
6) Does the site presently have fish or wildlife habitat? See examples noted in our Critical Areas Information Resources page below.
Yes No Unknown If yes, please identify any wildlife habitat indicators
7) Is the project located within a Flood Hazard Zone?

Yes No Unknown

Exemption Request

Pursuant to KCC 17A.01.050, "The proponent of the alteration or development may submit a written request for Determination of exemption eligibility to the director that describes the alteration or development and states the exemption listed in this section that applies. The purpose of a Determination of exemption eligibility is to provide, at the applicant's request, a written record documenting that a proposed alteration or development is, in fact, an exempt activity under the provisions of this Chapter."

Please check the applicable box below if you believe your project qualifies for an exemption. These items are defined in detail at https://www.co.kittitas.wa.us/boc/countycode/title17a.aspx by navigating to KCC 17A.01.050(3).

	o of Legar o wher-or ra	unon zou respresentati		ses are made trut	
Sionatur	e of Legal Owner or Ai	uthorized Representat	tive		
•	checked a box aboutions noted. This sales			•	
	Forest Practices Removal or Contr Habitat Enhancer Maintenance of E Site Exploration a Hazardous Tree F Utility Line Work Harvesting of Wild	nent Actions xisting Structures and Investigation a Removal	s		

Critical Area Information Resources

Below is some guidance and resources to assist you in answering the questions above.

Question #2: Kittitas County utilizes GIS data to identify existing or suspected water bodies within the County. Our Compas system includes a layer labeled "DNR Water Type" which will activate the water body layer. The "Kittitas County Compas" link below can assist in determining the nature of a water body in Kittitas County.

Question #3 and #4: Kittitas County utilizes GIS data to identify existing or suspected wetlands within the County. The "Kittitas County Compas" link below can assist in determining the nature of a wetland in Kittitas County. Our Compas system includes a layer labeled "Wetlands" which will activate the wetlands layer. Sometimes our GIS information is incomplete. Visual verification of wetland characteristics (such as marsh areas, saturated soils and wetland plants such as cat tails) should additionally be noted in your responses to ensure your project is compliant with Kittitas County Critical Area regulations.

Question #5: The "Kittitas County Compas" link below includes a layer titled "Hazardous Slopes." These slopes present as red or yellow overlays.

Question #6: General information on Priority Habitat Species areas can be found on the "Kittitas County Compas" link below under the layer labeled "DFW Priority Habitat Species." Additionally, the existence of fish or wildlife habitat requires a visual inspection of the general project area. Characteristics such as fallen trees, tall grassy areas, holes in the ground, visual verification of wildlife and other characteristics can all be indicators of local habitat areas. If you are unsure if your project area contains wildlife habitat, please contact WDFW at 509-575-2740 for guidance and/or visit the Priority Habitat Species page at the WDFW website https://wdfw.wa.gov/species-habitats/at-risk/phs/maps.

Question #7: Flood Information can be found on the "Kittitas County Compas" link below by utilizing the layer labelled "Floodway/Floodzone."

Kittitas County Compas (Layer list is located in the top right corner)
https://www.arcgis.com/apps/webappviewer/index.html?id=8bcc146d9c2847acb2e9aa239187c25e

-Note: You may need to zoom out after activating a layer to see it.

Please contact Community Development Services with any questions (509) 962-7506.

Leavenworth

b. If the 100-year floodplain exceeds the widths shown, the RHA should extend to the outer edge of the 100-year floodplain.

Table 16.08.440.1 Riparian Habitat Evaluation Area Widths

Water type ¹	Riparian Habitat Area Extent
Permanent	
s	See the Shoreline Master Program for regulations
F	250 ft.
Np	200 ft.
Ns	150 ft.

Roslyn

A. Standard Buffer Widths. Streams shall be protected with vegetated buffers, which also provide riparian wildlife habitat. These buffers shall have the following standard widths, measured perpendicular from the ordinary high water mark of the water body:

- 1. Crystal Creek and its tributaries: 100 feet;
- 2. All streams in the urban forest and watershed zones, including seasonal streams: 300 feet; and
- 3. All other streams: 50 feet.

Ellensburg

B. All areas within the <u>city</u> meeting one or more of these criteria, regardless of any formal identification, are hereby designated <u>critical areas</u> and are subject to the provisions of this chapter and shall be managed consistent with the <u>best available science</u>, such as the Washington <u>Department</u> of Fish and Wildlife's Management Recommendations for Priority Habitat and Species.

ORDINANCE REPEALING CHAPTER 18.01 OF THE CLE ELUM MUNICIPAL CODE AND ADOPTING XX.XX – XX.XX: CRITICAL AREAS ORDINANCE

Table of Contents

C	hapter XX.XX.		3
	XX.XX.010 Pt	urpose and Intent	3
	XX.XX.020 Au	uthority	3
	XX.XX.030 Ap	pplicability	4
	XX.XX.040 Re	egulated Development and Alterations	4
	XX.XX.050 Ex	remptions	4
	XX.XX.060 Ex	ceptions	7
	XX.XX.070	Non-Conforming Lots, Structures, and Uses	8
	XX.XX.080	Critical Areas Reports	9
	XX.XX.090	General Protective Measures	.10
	XX.XX.100 Cı	ritical Areas Mitigation	.11
	XX.XX.110	Review Process	.13
	XX.XX.120 Re	elationships to Other Regulations	.15
	XX.XX.130 Be	est Available Science	.15
	XX.XX.150 Cı	ritical Areas Report Review and Determination	.16
	XX.XX.170 Er	nforcement	.16
C	hapter XX.XX	DEFINITIONS	.18
	XX.XX.010	Generally.	.18
C	hapter XX.XX.		.33
С	RITICAL AQU	IFER RECHARGE AREAS (CARAs)	.33
	XX.XX.010 Pt	urpose and Intent.	.33
	XX.XX.020 De	esignation, and Mapping	.33
	XX.XX.030	Applicability	.33
	XX.XX.050	Reporting.	.34
С	hapter XX.XX.		.36
FI	SH AND WILE	DLIFE HABITAT CONSERVATION AREAS	.36
	XX.XX.010	Purpose and Intent.	.36
	XX.XX.020	Designation, and Mapping, Checklist, and Classification	.36
	XX.XX.030	Riparian Management Zones and Buffers.	.37
	XX.XX.040	General Protection Standards	.39
	XX.XX.050	Permitted Alterations and Development.	
	XX.XX.060	Reporting	.42
	XX.XX.070	Mitigation Requirements.	.43
_	hantar VV VV		15

FREQUENTLY	FLOODED AREAS	45
XX.XX.010	Purpose and Intent.	45
XX.XX.020	Classification.	45
XX.XX.030	Designation	45
XX.XX.040	Protection Standards	45
Chapter XX.XX.		46
GEOLOGICALL	Y HAZARDOUS AREAS	46
XX.XX.010	Purpose and Intent	46
XX.XX.020	Designation, Classification, and Mapping	46
XX.XX.030	General Protection Standards	48
XX.XX.040	Landslide Hazard Area Standards	49
XX.XX.050 Er	osion Hazard Area Standards	50
XX.XX.060	Alluvial Fan Hazard Standards	51
XX.XX.070	Seismic Hazard Standards	52
XX.XX.080	Volcanic Hazard Areas	52
XX.XX.090	Mine Hazard Areas	52
XX.XX.100	Reporting	52
Chapter XX.XX.		54
WETLANDS		54
XX.XX.010	Purpose and Intent	54
XX.XX.020	Designation, Mapping, Delineation, and Categorization	54
XX.XX.030	Buffers	55
Table XX.X	X.030: Standard Buffer Widths	56
XX.XX.040	General Protection Standards	57
XX.XX.050	Alterations and Development Permitted without a Critical Areas Report	58
XX.XX.060	Reporting	58
XX.XX.070	Mitigation Requirements	59
Table XX.X	X.070.6: Wetland Mitigation Ratios	60

Chapter XX.XX

GENERAL PROVISIONS

Sections:

XX.XX.010	Purpose and Intent
XX.XX.020	Authority
XX.XX.030	Applicability
XX.XX.040	Regulated Alterations and Development
XX.XX.050	Exemptions
XX.XX.060	Exceptions
XX.XX.070	Non-Conforming Structures and Uses
XX.XX.080	Critical Areas Reports
XX.XX.090	General Protective Measures
XX.XX.100	Critical Areas Mitigation
XX.XX.110	Review Process
XX.XX.120	Relationships to Other Regulations
XX.XX.130	Best Available Science
XX.XX.140	Variances
XX.XX.150	Enforcement
XX.XX.160	<u> </u>

XX.XX.010 Purpose and Intent

The purpose of this Title is to establish regulations pertaining to development which protect designated critical areas, as defined by the Washington State Growth Management Act (GMA) (RCW 36.70A). The GMA requires the use of "best available science," also as defined in that law, to establish local regulations which protect critical areas. GMA-designated critical areas, all of which are present in City of Cle Elum, include: Critical aquifer recharge areas, fish and wildlife habitat conservation areas, frequently flooded areas, geologically hazardous areas, and wetlands. The regulations of this Title are intended to:

- 1. Prevent degradation of critical areas;
- 2. Conserve, protect, and; where feasible, restore critical areas and their functions and values;
- 3. Protect unique, fragile and/or valuable elements of the environment, including ground and surface waters, anadromous fish species, and other fish and wildlife and their habitats;
- Protect the public health, safety, and general welfare from hazards associated with critical areas;
- 5. Further the goals and objectives of the City of Cle Elum Comprehensive Plan and all of its elements:
- Implement the goals and requirements of the Washington Growth Management Act (RCW Chapter 36.70A);
- 7. Allow for reasonable use of all properties in City of Cle Elum.

XX.XX.020 Authority

- 1. As provided herein, the City Administrator, Mayor, and/or his/her designee is given the authority to interpret and apply, and the responsibility to enforce this Title to accomplish the stated purpose and is herein referenced as the Designated Official.
- 2. The City may withhold, condition, or deny permits and/or approvals for development and alterations to ensure that the proposed development is consistent with this Title.

XX.XX.030 Applicability

- Except as provided in subsection 3 and 4 below, the provisions of this Title shall apply to any alteration or development within the unincorporated portion of City of Cle Elum, and outside of Shoreline jurisdiction, as determined by the Shoreline Master Program (CEMC Chapter 18.02). No development shall be constructed, located, extended, modified, converted, or altered, or land subdivided without full compliance with this Title.
- 2. Compliance with these regulations does not remove an applicant's obligation to comply with applicable provisions of any other Federal, State, or local law or regulation.
- Any activities, alterations or development located within any Shoreline of the State within the unincorporated portion of City of Cle Elum are subject to the provisions of the Shoreline Master Program (CEMC Chapter 18.02) and not this Title.

XX.XX.040 Regulated Development and Alterations

The following development and alterations are regulated within critical areas and their riparian management zones and/or buffers, unless exempt by CEMC XX.XX.050:

- Removing, excavating, disturbing, or dredging soil, sand, gravel, minerals, organic matter, or materials of any kind:
- 2. Dumping, discharging, or filling;
- 3. Draining, flooding, or disturbing the water level or water table;
- 4. Driving piling or placing obstructions, including placement of utilities;
- Constructing, reconstructing, demolishing, or altering the size of any structure or infrastructure;
- Altering the character and/or functions and values of a regulated area by destroying or altering vegetation through clearing, harvesting, cutting, intentional burning, shading, or planting:
- 7. The division of land pursuant to CEMC Title 16; and
- 8. The creation of impervious surfaces.

XX.XX.050 Exemptions

- 1. Exemption Request and Review Process. The proponent of the alteration or development may submit a written request for Determination of exemption eligibility to the Designated Official that describes the alteration or development and states the exemption listed in this section that applies. The purpose of a Determination of exemption eligibility is to provide, at the applicant's request, a written record documenting that a proposed alteration or development is, in fact, an exempt activity under the provisions of this Chapter. The Designated Official shall review the exemption request to verify that it complies with this chapter and approve, approve with conditions, or deny the exemption. If the exemption is approved, it shall be placed on file with CEMCDS. If the exemption is denied, the proponent may continue in the review process and shall be subject to the requirements of this chapter.
- 2. Exempt Alterations and Development and Impacts to Critical Areas. All exempted alterations or development shall use reasonable methods to avoid potential impacts to critical areas and their buffers. To be exempt from this Title does not give permission to degrade a critical area or its buffer or ignore risk from natural hazards. Any incidental damage to, or alteration of, a critical area or its buffer that is not a necessary outcome of the exempted alteration or development shall be restored, rehabilitated, or replaced at the responsible party's expense.
- 3. Exempt Alterations and Development. The following alterations and developments and uses shall be exempt from the provisions of this Title:
 - Emergencies. Those alterations or developments necessary to prevent an
 immediate threat to public
 health, safety, or welfare, or that pose an immediate risk of damage to private
 property and that require remedial or preventive action in a timeframe too short to

allow for compliance with the requirements of the critical areas regulations, provided that:

- The emergency action shall have the least possible impacts to the critical area and its buffer as is reasonably judged in real time while still adequately addressing the emergency situation;
- ii. The person or authorized representative of the agency undertaking such action shall notify the City within one (1) working day following commencement of the emergency alteration or development. Within thirty (30) days, the Designated Official shall determine if the action taken was within the scope of the emergency actions allowed in this Subsection. If the Designated Official determines that the action taken, or any part of the action, was beyond the scope of an allowed emergency action, then the enforcement provisions of Chapter 8.60 CEMC shall apply; and
- iii. After the emergency, the person or authorized representative of the agency undertaking the action shall fully fund and conduct necessary restoration and/or mitigation for any impacts to the critical area and buffers resulting from the emergency action in accordance with an approved critical areas report and mitigation plan, as described in XX.XX.080. The person or authorized representative of the agency undertaking the action shall apply for review, and the alteration, critical areas report, and mitigation plan shall be reviewed by the City in accordance with the review procedures contained herein. Restoration and/or mitigation activities must be initiated within one (1) year of the date of the emergency alteration or development and completed in a timely manner.
- b. Operation, Maintenance, or Repair. Operation, maintenance, or repair of existing structures, infrastructure improvements, utilities, public or private roads, dikes, levees, or drainage systems, that do not require construction permits, if the alteration or development does not further change or increase the impact to, or encroach further within, the critical area or buffer and there is no increased risk to life or property as a result of the proposed operation, maintenance, or repair. Operation and maintenance includes vegetation management performed in accordance with best management practices that is part of ongoing maintenance of structures, infrastructure, or utilities, provided that such management actions are part of ongoing maintenance, do not expand further into the critical area or buffer, are not the result of an expansion of the structure or utility, and do not directly impact an endangered or threatened species.
- c. Passive Outdoor Activities. Recreation, education, and scientific research activities that do not alter or degrade the critical area or buffer, including fishing, hiking, and bird watching.
- d. Forest Practices. Forest practices conducted in accordance with the requirements of the Forest Practice Act (Chapter 76.09 RCW) and its rules, except for the conversion of forest land to a use other than commercial forestry (Class IV conversions).
- e. Removal or Control of Terrestrial Noxious Weeds. Removal of terrestrial weeds that are included on the State noxious weed list (WAC 16-750) or other invasive plant species as identified by City of Cle Elum. Control may be conducted by clipping, pulling, over-shading with native tree and shrub species, or non-mechanized removal including herbicide or other methods applicable to weed control.
- f. Removal or Control of Aquatic Noxious Weeds. Removal or control of aquatic noxious weeds, as defined in RCW 17.26.020, using an herbicide or other treatment methods applicable to weed control that are recommended by a final environmental impact statement published by the Washington State Department of Agriculture or

- the Washington State Department of Ecology jointly with other state agencies under RCW Chapter 43.21C.
- g. Enhancement Actions. Habitat enhancement actions that do not involve clearing, grading, in-water work or construction activities, such as revegetation with native plants and installation of nest boxes.
- h. Maintenance of Existing Structures. Normal maintenance or repair of existing structures or developments, including damage by accident, fire, or elements. "Normal maintenance" includes those usual acts to prevent a decline, lapse, or cessation from a lawfully established condition. "Normal repair" means to restore a development to a state comparable to its original condition including, but not limited to, its size, shape, configuration, location, and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to critical areas or their buffers. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including, but not limited to, its size, shape, configuration, location, and external appearance and the replacement does not cause substantial adverse effects to critical areas or their buffers.
- Site Exploration and Investigation Activities. Site exploration and investigation activities that are prerequisite to preparation of an application for development, when all the following conditions are met:
 - The activity will have no significant adverse impact on the environment including, but not limited to, fish; wildlife; fish or wildlife habitat; water quality; and aesthetic values; and
 - ii. The activity does not involve the installation of any structure, and upon completion of the activity, the vegetation and land configuration of the site are restored to conditions existing before the activity.

j. Tree Removal.

- Hazard Tree Removal in Fish and Wildlife Habitat Conservation Areas, Wetlands. Frequently Flooded Areas and Geologically Hazardous Areas.
 - (a) The removal of a hazard tree, including removal for compliance with CEMC 20.10, Wildland Urban Interface Code, may be allowed when trimming or topping is not sufficient to address the hazard. If a tree in close proximity to a stream or river qualifies as a hazard tree in accordance to this Title it should be felled in a manner that creates instream habitat, when it is possible to do so while also addressing the original hazardous situation. Where the hazard is not immediately apparent to the Designated Official, the Designated Official may require the applicant to submit a Hazard Tree Determination Report (CEMC XX.XX.406) prepared by a qualified arborist (CEMC 17A02.102) or forester (CEMC XX.XX.345). The removal of nonhazardous trees is not an exempt action in the critical areas listed under CEMC XX.XX.050.3.h.i, except when regulated under the provisions of the Forest Practice Act (Chapter 76.09 RCW).
- ii. Tree Removal in Critical Aquifer Recharge Areas.
 - (a) The removal of any tree is an exempt action when the tree is solely within a Critical Aquifer Recharge Area and not also within a different overlapping critical area, riparian management zone, or buffer. This action does not require an exemption request or review by the Designated Official, unless it is associated with a regulated activity identified in CEMC XX.XX.030.
- k. **Utility Line Work**. Public and private utility line work (new construction, maintenance, and repair) within improved surfaces (e.g., driveways, parking lots,

- concrete or asphalt surfaces, gravel roads and road shoulders, and hard surfaceearthen rights-of-way or easements).
- Harvesting of Wild Crops. The harvesting of wild crops in a manner that is not
 injurious to natural reproduction of such crops and provided the harvesting does not
 require tilling of soil, planting of crops, chemical applications, or alteration of the
 critical area or its buffer by changing existing topography, water conditions, or water
 sources.

XX.XX.060 Exceptions

- Public Agency and Utility. If the application of this Title would prohibit a proposed development by a public agency or public utility, the agency or utility may apply for an exception pursuant to the following:
 - a. Exception Request and Review Process. An application for a public agency and utility exception shall be made to the City and shall include a critical areas report, as described in CEMC XX.XX.080, including mitigation plan, if necessary; and any other related project documents, such as permit applications to other agencies, special studies, and environmental documents prepared pursuant to the State Environmental Policy Act (Chapter 43.21C RCW). The application shall follow the administrative project permit review process outlined in CEMC 15A.03.
 - b. **Designated OfficialReview.** Designated OfficialThe designated official shall approve, approve with conditions, or deny the request based on the proposal's ability to comply with all the reasonable use exception criteria in Subsection 2(c).
 - c. Public Agency and Utility Review Criteria. The criteria for review and approval of public agency and utility exceptions are as follows:
 - There is no other practical alternative to the proposed development with less impact on the critical area and its buffer;
 - The application of this Title would unreasonably restrict the ability to provide utility and/or agency services to the public;
 - The proposal does not pose an unreasonable threat to the public health, safety, or welfare on or off the development proposal site;
 - The proposal attempts to protect and mitigate impacts to the critical area functions and values consistent with the best available science; and
 - v. The proposal is consistent with other applicable regulations and standards.
 - d. Burden of Proof. The burden of proof shall be on the applicant to bring forth evidence in support of the application and to provide sufficient information on which any decision must be made on the application.
- Reasonable Use. If the application of this Title would deny all reasonable economic use of the subject property, the City shall determine if the property owner may apply for an exception pursuant to the following:
 - a. Exception Request and Review Process. An application for a reasonable use exception shall be made to the City and shall include a critical areas report, as described in CEMC XX.XX.080, including mitigation plan, if necessary; and any other related project documents, such as permit applications to other agencies, special studies, and environmental documents prepared pursuant to the State Environmental Policy Act (Chapter 43.21C RCW and rules thereunder in Chapter 197-11 WAC). The application shall follow the administrative project permit review process outlined in CEMC 15A.03. In determining what is considered reasonable use of an undeveloped parcel, the Designated Official may consider additional information such as zoning, and comparable structure sizes and land uses of the surrounding area.

- b. **Designated Official Review.** The Designated Official shall approve, approve with conditions, or deny the request based on the proposal's ability to comply with all the reasonable use exception criteria in Subsection 2(c).
- Reasonable Use Review Criteria. Criteria for review and approval of reasonable use exceptions include:
 - The application of this Title would deny all reasonable economic use of the property;
 - ii. No other reasonable economic use of the property has less impact on the critical area and its buffer;
 - iii. The proposed impact to the critical area is the minimum necessary to allow for reasonable economic use of the property;
 - iv. The inability of the applicant to derive reasonable economic use of the property is not the result of actions by the applicant after the effective date of this Title;
 - v. The proposal does not pose an unreasonable threat to the public health, safety, or welfare on or off the development proposal site;
 - vi. The proposal will result in no net loss of critical area functions and values consistent with the best available science:
 - vii. The proposal is consistent with other application regulations and standards.
- d. **Burden of Proof.** The burden of proof shall be on the applicant to bring forth evidence in support of the application and to provide sufficient information on which any decision must be made on the application.

XX.XX.070 Non-Conforming Lots, Structures, and Uses

The following provisions apply to lots, structures and uses lawfully established prior to the effective date of this Title, or amendments thereto, which do not conform to the current regulations or standards of this Title. The following provisions do not apply to lots, structures or uses that were unlawfully established.

- 1. Non-conforming lots:
 - a. An undeveloped lot, tract, parcel, site, or division of land located landward of the ordinary high water mark which was established in accordance with local and state subdivision requirements prior to the effective date of this Title but which does not conform to the present lot size standards may be developed as permitted by the land use regulations of the local government so long as such development conforms to all other requirements of this Title and the Act.
- 2. Non-conforming structures:
 - a. Nonconforming structures may be maintained, repaired, renovated, and remodeled, provided such activity does not enlarge or expand the structure beyond the allowances in this section.
 - b. Nonconforming structures may be enlarged or expanded one time, provided:
 - The enlargement does not extend closer to the critical area than the existing primary structure or farther into the minimum side yard setback;
 - ii. The enlargement does not expand the footprint of the existing structure by more than 200 square feet in a lateral direction;
 - iii. The enlargement does not cause new direct wetland or stream impact; and
 - Mitigation of impacts to disturbed critical areas or buffers is provided in accordance with this title. The City may consult with agencies of expertise to ensure plan adequacy.
 - c. Nonconforming single-family residences may increase their height within the existing structural footprint up to maximum of thirty-five (35) feet.
 - d. A nonconforming structure which is moved any distance must be brought into conformance with this Title and the Act.

e. Damaged nonconforming structures outside frequently flooded areas may be
reconstructed to those configurations existing immediately prior to the time the
development was damaged. Reconstruction of nonconforming development located
in frequently flooded areas shall comply with reconstruction regulations contained
within the City of Cle Elum Flood Prevention Ordinance (CEMC Chapter 14.08December 2014).

3. Nonconforming uses:

- Nonconforming uses may be continued consistent with their lawfully established scale and range of uses.
- b. A structure which is being or has been used for a nonconforming use may be used for a different nonconforming use only upon written approval by the Designated Official and may be approved only upon a finding that:
 - No reasonable alternative conforming use is practical because of the configuration of the structure and/or the property;
 - The proposed use will be at least as consistent with the policies and provisions of the Act and this Title and as compatible with the uses in the area as the pre-existing use;
 - iii. The use or development is enlarged, intensified, increased or altered only to the minimum amount necessary to achieve the intended functional purpose;
 - iv. The structure(s) associated with the nonconforming use shall not be expanded in a manner that increases the extent of the non-conformity, including encroachment into areas such as setbacks, and any critical areas and/or associated buffers where new structures, use, or development would not be allowed:
 - v. The buffer standards of this Title are met;
 - vi. The change in use, remodel, or expansion will not create adverse impacts to critical areas or their associated buffers and riparian management zones;
 - vii. Uses which are specifically prohibited or which would thwart the intent of the Act or this Title shall not be authorized; and
 - Conditions necessary to assure that the use will not become a nuisance or a hazard have been attached to the development permit and preliminary site analysis.

Redevelopment of nonconforming rights-of-way and associated transportation structures, such as railroad trestles, may be permitted for purposes of facilitating the development of public trails; provided, that such redevelopment shall be otherwise consistent with the provisions of this Title.

XX.XX.080 Critical Areas Reports

- When Required. An applicant shall submit a critical areas report when required by XX.XX.110.2 and the reporting section of the applicable critical area chapter of this Title. Critical areas reports are valid for five years from the date of completion, or date of the corresponding delineation documentation, if applicable.
- 2. **Preparation by Qualified Professional**. The critical areas report shall be prepared by a qualified professional as defined in CEMC XX.XX.620.
- 3. Incorporation of Best Available Science. The critical areas report shall use scientifically valid methods and studies in the analysis of critical area data and field reconnaissance to evaluate the proposed development and all probable impacts to critical areas in accordance with the provisions of this Title. The report shall reference the source(s) of science used.
- 4. **Minimum Report Contents**. At a minimum, the report shall contain the following:
 - a. The name and contact information of the applicant and a description of the proposal;
 - b. The site plan for the proposed development, including a map drawn to scale depicting critical areas, buffers and/or setbacks, the proposed development, and any areas to be cleared or altered:
 - c. The names and qualifications of the persons preparing the report;

- d. Documentation of any fieldwork performed on the site;
- e. Documentation that consultation, when deemed appropriate, was initiated with agencies of expertise:
- f. Field identification and characterization of all critical areas and buffers on and adjacent to the proposed development;
- g. A statement specifying the accuracy of the report, and all assumptions made and relied upon:
- A discussion of the performance standards applicable to the critical area and proposed development;
- i. A mitigation plan in accordance with CEMC XX.XX.100 if mitigation is required; and
- Any additional report information required for the critical area as specified in CEMC XX.XX.80 through CEMC XX.XX.100.

XX.XX.090 General Protective Measures

- 1. **Land Divisions**. All the following shall apply to the creation of new lots or parcels:
 - All critical areas and their buffers and/or riparian management zones and any associated setbacks shall be mapped prior to the approval of a land division.
 - b. All new lots or parcels shall contain sufficient area outside of the wetland and/or wetland buffer, fish and wildlife habitat conservation area and/or fish and wildlife habitat conservation area riparian management zones or buffers, floodway, channel migration zone, or landslide hazard area and/or landslide hazard area buffer to accommodate the use or development.
 - c. Open space or conservation area lots may be established without a site that is suitable for development provided there is a note on the face of the plat or other recorded document which indicates the purpose of the lot.

2. Native Growth Protection Areas

- Native growth protection areas shall be used in development proposals for land division to delineate and protect those contiguous critical areas and buffers listed below:
 - i. All landslide hazard areas and buffers;
 - ii. All wetlands and buffers;
 - iii. All floodways;
 - iv. All fish and wildlife habitat conservation areas and associated riparian management zones and buffers; and
 - v. All other lands to be protected from alterations as conditioned by project approval.
- Native growth protection areas shall be recorded on all documents of title of record for all affected lots.
- c. Native growth protection areas shall be designated on the face of the plat or recorded drawing in a format approved by the City assessor. The designation shall include the following restrictions:
 - An assurance that native vegetation will be preserved for the purpose of preventing harm to property and the environment, including, but not limited to, controlling surface water and erosion, maintaining slope stability, buffering, and protecting plants, fish, and animal habitat; and
 - ii. The right of the City to enforce the terms of the restriction.
- 3. Temporary or Permanent Field Identification. Prior to a regulated alteration or development taking place within or adjacent to a critical area, the City may require temporary or permanent field markers delineating the critical area boundary and associated buffer. The type of field markers to be used will be agreed to by the applicant and the Designated Official depending on site conditions and inspection requirements. Field markers shall be spaced at a minimum of every fifty (50) feet, unless alternative placement or spacing is authorized by

the Designated Official. The location of field markers must be shown on all site plans and final plats associated with the proposed development. Field markers shall remain in place until any required final inspections are completed and approved. Field markers may be waived by the Designated Official if an alternative to field marking achieves the same objective, or if the development and construction activity(ies) is located at a sufficient distance so that impacts to the critical area and its buffer are unlikely to occur. The Designated Official may require permanent, wildlife-passable fencing and/or signage if necessary to protect a critical area and its buffer from adjacent land uses.

- 4. Building Setbacks. Unless otherwise provided, buildings and other structures shall be set back a distance of fifteen (15) feet from the edges of all critical area buffers, RMZs, or from the edges of all critical areas, except CARAs, if no buffers are required. The following are allowed in the building setback area:
 - a. Landscaping;
 - b. Uncovered decks;
 - Building overhangs, if such overhangs do not extend more than eighteen (18) inches into the setback area; and
 - d. Impervious ground surfaces, such as driveways and patios.
- 5. **Notice on Title.** Any property on which a development proposal requiring a critical areas report is submitted shall have filed with the City of Cle Elum Auditor:
 - a. A notice on title of the presence and location of the critical area and/or buffer;
 - b. A statement as to the applicability of this Title to the property; and
 - c. A statement describing possible limitations on action in or affecting critical areas or buffer as approved by the Designated Official. The Applicant shall record such documents and will provide a copy of the recorded notice to the City. Development proposals which are defined as normal repair and maintenance of existing structures or developments, including, but not limited to, roof repair, interior remodeling, wood stove permits, and on-site sewage disposal systems repairs, are exempt from this requirement.

XX.XX.100 Critical Areas Mitigation

- Mitigation Sequence. Adverse impacts caused by new alterations and developments shall be mitigated using the following actions in order of priority:
 - a. Avoiding the impact altogether by not taking a certain action or parts of an action;
 - Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;
 - Rectifying the impact by repairing, rehabilitating, or restoring the affected environment;
 - Reducing or eliminating the impact over time by preservation and maintenance operations;
 - e. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and
 - Monitoring the impact and the compensation project and taking appropriate corrective measures.
- 2. **Mitigation Plans**. When mitigation is required, the applicant shall submit a mitigation plan. The mitigation plan shall include all the following:
 - Mitigation Sequencing. A description of reasonable efforts made to apply mitigation sequencing pursuant to CEMC XX.XX.100.1 to avoid, minimize, and mitigate impacts to critical areas and buffers;
 - b. Mitigation Details.
 - Documentation of consultation/coordination with appropriate agencies of expertise, as applicable;

- ii. A description of the anticipated impacts to the critical area and buffer, including impacts to critical area functions and values;
- The mitigating actions proposed, including: type of mitigation proposed (e.g., on-site or off-site); site selection criteria; identification of compensation goals; and identification of critical area functions.
- iv. The environmental goals and objectives of the mitigation, together with specific measurable criteria and performance standards for evaluating whether or not the goals and objectives of the mitigation project have been successfully attained:
- An analysis of the likelihood of success of the mitigation project based on best available science.
- c. Construction Details. The mitigation plan shall include written specifications, descriptions, and drawings of the mitigation proposed, including:
 - i. Construction sequence, timing, and duration;
 - ii. Grading and excavation details;
 - iii. Erosion and sediment control features; and
 - iv. Planting plan specifying plant species, quantities, locations, size, spacing, density, and measures to protect and maintain plants until established. All plant species must be native to the region.

d. Monitoring Details.

- i. A program for monitoring construction and assessing the outcome of the mitigation project, including the schedule for site monitoring (for example, describe how monitoring may occur in years 1, 2, 3, 5, 7 and 10 after site construction), and how the monitoring data will be evaluated to determine if the performance standards are being met. Monitoring reports shall be submitted to the City to document milestones, successes, problems, and contingency actions of the compensation project. The mitigation project shall be monitored for a period necessary to establish that performance standards have been met, but not for a period less than ten (10) years. Mitigation monitoring shall be the responsibility of the applicant, and monitoring reports will be reviewed by City staff to ensure that performance standards are being met
- ii. A contingency plan with courses of action and corrective measures to be taken if monitoring or evaluation indicates project performance standards are not being met, including a possible extension of the monitoring period until it can be shown that performance standards are being met.
- The mitigation plan shall include financial guarantees ensuring fulfillment of the compensation project, monitoring program, and any contingency measures in accordance with CEMC XX.XX.100.3.
- iv. The mitigation plan shall address any additional mitigation requirements relevant to the specific critical area as specified in the following chapters.

3. Financial Guarantees.

- a. When mitigation is required for a proposed development but is not completed prior to the City's final permit approval, such as final plat approval or final building inspection, the applicant shall post a financial guarantee to ensure work will be completed and meet the stated environmental objectives. Where financial guarantees are required by other state or federal agencies for specific mitigation features, additional financial quarantees for those features are not required under this provision.
- b. The financial guarantee shall be <u>at a minimum</u>, in the amount of one hundred and twenty-five percent (125%) of the estimated cost of the uncompleted actions and/or the estimated cost of restoring the functions and values of the critical area(s) that is at risk. The guarantee amount shall be based on an itemized cost estimate of the mitigation activity including clearing and grading, plant materials, plant installation,

- irrigation, weed management, monitoring, and other costs, and shall be determined at the City's discretion in consideration of market trends, inflation, and other decision making criterion that may increase costs between the establishment of the financial guarantee and the release of the guarantee.
- c. The financial guarantee may be in the form of a surety bond, performance bond, assignment of savings account, an irrevocable letter of credit guaranteed by an acceptable financial institution, or other form acceptable to the Designated Official, with terms and conditions acceptable to the City of Cle Elum attorney.
- d. The financial guarantee shall remain in effect until the Designated Official determines, in writing, that the standards bonded for have been met. Financial guarantees for wetland or stream compensatory mitigation shall be held for a minimum of five (5) years after completion of the work to ensure that the required mitigation has been fully implemented and demonstrated to function and may be held for longer periods when necessary.
- e. Public development proposals shall be relieved from having to comply with the bonding requirements of this Section if public funds have previously been committed for mitigation, maintenance, monitoring, or restoration.
- f. Any failure to satisfy critical area requirements established by law or condition, including but not limited to the failure to provide a monitoring report within thirty (30) days after it is due or comply with other provisions of an approved mitigation plan, shall constitute a default, and the Designated Official may demand payment of any financial guarantees or require other action authorized by City of Cle Elum code or any other law.
- g. Any funds recovered pursuant to this Section shall be used to complete the required mitigation. Such funds shall not be deposited in the City General Fund, but rather provided with a separate account. The City will use such funds to arrange for completion of the project or mitigation, and follow-up corrective actions.
- h. Depletion, failure, or collection of financial guarantees shall not discharge the obligation of an applicant or violator to complete required mitigation, maintenance, monitoring, or restoration.
- 4. Mitigation Banking and In-Lieu Fee Mitigation. The City may approve mitigation banking and/or in-lieu fee mitigation as a form of compensatory mitigation for wetland and fish and wildlife habitat conservation area impacts when the provisions of this Title require mitigation and when the use of a mitigation bank/in-lieu fee program will provide equivalent or greater replacement of critical area functions and values when compared to conventional permittee-responsible mitigation. Mitigation banks and in-lieu fee program shall only be used when it can be demonstrated that they provide significant ecological benefits including long-term conservation of critical areas, important species, habitats and/or habitat linkages, and when they are documented to provide a viable alternative to the piecemeal mitigation for individual project impacts to achieve ecosystem-based conservation goals. Mitigation banks and in-lieu fee programs shall not be used unless they are certified in accordance with applicable federal and state mitigation rules and expressly authorized through City legislative action.

XX.XX.110 Review Process

- Administrative Procedures and Rules. The administrative procedures followed during the
 critical area review process shall conform to the standards and requirements of all
 development and alterations. This shall include, but not be limited to, timing, appeals, and
 fees associated with applications covered by this Title.
- 2. General Requirements
 - a. Submittal. Prior to the City's consideration of any proposed alteration or development not found to be exempt under CEMC XX.XX.050, the applicant shall submit to the City complete information regarding the critical area on the application for the underlying development, on forms provided by the City.

- b. Checklist. As part of the application packaged described within XXX.XXX.2(a). project proponents are required to submit a completed critical areas checklist. The purpose of this checklist is to provide critical areas information to City staff to determine potential impacts of a project or action regulated within the City's Critical Areas Ordinance as described herein. City staff will review this checklist along with critical areas information available to the City through this Title and make a determination of impacts. This checklist should be utilized for all development activities as defined within this Title.
- c. As part of critical areas review, the City shall:
 - i. Verify the information submitted by the applicant;
 - ii. Evaluate the project area and vicinity for critical areas and buffers;
 - Determine whether the applicant is required to seek additional critical area consultation with qualified professionals and/or agencies, which may include a joint site visit with City staff, agency staff, and/or qualified professionals;
 - This additional consultation may be required for, but is not limited to, areas which contain unmapped critical areas and/or difficult mitigation circumstances.
 - iv. Determine whether the proposed development is likely to impact the functions or values of critical areas; and
 - Determine if the proposed development avoids impacts or adequately addresses the impacts to the critical area and buffer associated with the alteration or development.
- d. Make a review determination:
 - i. No Critical Areas Present. If after a site visit the Designated Official's analysis indicates that the project area is not within or adjacent to a critical area or buffer and that the proposed alteration or development is unlikely to degrade the functions or values of a critical area, then the Designated Official shall rule that the critical area review is complete and note on the underlying application the reasons that no further review is required. A summary of this information shall be included in any staff report or decision on the underlying permit.
 - ii. Critical Areas Present, but No Impact Waiver. If the Designated Official determines there are critical areas within or adjacent to the project area, but that the best available science shows that the proposed alteration or development is unlikely to degrade the functions or values of the critical area(s) or buffer(s), the Designated Official may waive the requirement for a critical areas report. A waiver may be granted if there is substantial evidence that all of the following requirements will be met:
 - (1) There will be no alteration of the critical area or associated riparian management zone or buffer;
 - (2) The development proposal will not negatively impact a critical area or buffer.
 - iii. Critical areas may be affected by proposal. If the Designated Official determines that a critical area or areas or buffer(s) may be affected by the proposal, then the Designated Official shall notify the applicant that a critical areas report must be submitted prior to further review of the project, as described in CEMC XX.XX.080. The Designated Official may use the following indicators to assist in determining the need for a critical areas report:
 - Indication of a critical area on the City critical areas maps that may be impacted by the proposed alteration or development;

- Information and scientific opinions from appropriate agencies, including but not limited to the Washington State Departments of Fish and Wildlife and Ecology;
- (3) Documentation, from a scientific or other reasonable source, of the possible presence of a critical area; or
- (4) A finding by a qualified professional, or a reasonable belief by the Designated Official, that a critical area may exist on or adjacent to the site of the proposed alteration or development.
- e. Effect of Designated Official's Determination. A determination regarding the apparent absence of one or more critical areas by the Designated Official is not an expert certification regarding the presence of critical areas and the determination is subject to possible reconsideration and reopening if new information is received. If the applicant wants greater assurance of the accuracy of the critical area review determination, the applicant may choose to hire a qualified professional to provide such assurances.
- 3. Request for Technical Assistance. The Designated Official may engage technical consultants or agencies with expertise to provide third party review and interpret critical area data and findings submitted by or on behalf of the applicant in instances where City staff lack the resources or expertise to review these materials. Costs incurred by the City to enable third party review and technical assistance is to be borne by the applicant. The applicant will be billed post-consultation. An applicant may be required to pay for or reimburse the City for the review costs incurred.
- 4. Pre-Qualification of Consultants. The Designated Official may prepare and maintain a list of qualified technical consultants and firms that meet the qualified professional standards detailed in CEMC XX.XX.610. Any proposed consultant whose name is not on the list may submit a statement of qualifications including information on experience in the preparation of critical area studies, years of experience, and sample work. Upon approval of the submitted qualifications, the Designated Official shall add the name to the list of qualified consultants. The Designated Official may reject data and findings from non-pre-qualified consultants or require a third-party review per CEMC XX.XX.110.3.

XX.XX.120 Relationships to Other Regulations

- 1. This Title shall apply as an overlay and in addition to zoning and other regulations adopted by the City.
- Any individual critical area adjoined by another type of critical area shall have the buffer and meet the requirements that provide the most protection to the critical areas involved. When any existing regulations, easement, covenant, or deed restriction conflicts with this Title that which provides more protection to the critical area shall apply.
- 3. These critical areas regulations shall apply concurrently with review conducted under the State Environmental Policy Act (SEPA), as locally adopted.
- 4. Compliance with the provisions of this Title does not constitute compliance with other federal, state, and local regulations and permit requirements that may be required (for example, Hydraulic Project Approval [HPA] permits, Section 106 of the National Historic Preservation Act, U.S. Army Corps of Engineers Section 404 permits, National Pollution Discharge Elimination System permits). The applicant is responsible for complying with these requirements, apart from the process established in this Title.

XX.XX.130 Best Available Science

Critical areas reports and decisions to alter critical areas shall be based on the most current best available science to protect the functions and values of critical areas in City of Cle Elum.

XX.XX.150 Critical Areas Report Review and Determination

- The Designated Official shall make a determination as to whether the proposed alteration or development and associated mitigation, if any, is consistent with the provisions of this Title. The Designated Official's determination shall be based on the following criteria:
 - a. The proposal minimizes the impact on critical areas in accordance with CEMC XX.XX.100, Critical Areas Mitigation;
 - b. The proposal is consistent with the general purposes of this Title;
 - Any alterations permitted to the critical area(s) are mitigated in accordance with this
 Title's mitigation requirement sections depending on the type of critical area(s)
 impacted;
 - d. The proposal protects the critical area functions and values consistent with the best available science and results in no net loss of critical area functions and values; and
 - e. The proposal is consistent with other applicable regulations and standards.
- 2. The City may condition the proposed alteration or development as necessary to mitigate impacts to critical areas and to conform to the standards required by this Title.
- 3. **Determination**. The Designated Official will determine if the proposed alteration or development meets the criteria in CEMC XX.XX.150(1) and complies with the applicable provisions of this Title. The Designated Official shall prepare a written notice of determination and identify any required conditions of approval.
 - a. If a proposed alteration or development is approved under this Title a notice of determination and conditions of approval shall be included in the project file, be considered in the next phase of the City's review of the proposed alteration or development in accordance with any other applicable codes and regulations, and shall be attached to the underlying permit or approval.
 - Any subsequent changes to the conditions of approval shall void the previous determination pending re-review of the proposal and conditions of approval by the Designated Official.
 - ii. A favorable determination should not be construed as endorsement or approval of any underlying permit or approval.
 - b. If a proposed alteration or development is rejected due to not adequately mitigating
 its impacts on the critical area(s) and/or does not comply with the criteria in CEMC
 XX.XX.150(1), and the provisions of this Title, the Designated Official shall prepare a
 written notice of the determination that includes findings of noncompliance.
 - No proposed alteration, development, or permit shall be approved or issued if
 it is determined that the proposed activity does not adequately mitigate its
 impacts on the critical area(s) and/or does not comply with the provisions of
 this Title.
 - Upon receiving a notice of determination that includes findings of noncompliance, the applicant may request consideration of a revised critical areas report.
 - iii. If the revision is found to be substantial and relevant to the critical area review, the Designated Official may reopen the critical area review and make a new determination based on the revised report.
- The City's determination regarding critical areas pursuant to this Title shall be concurrent with the final decision to approve, condition, or deny the development proposal or other alteration involved.

XX.XX.170 Enforcement

Generally. When a critical area or its buffer has been altered in violation of this Title, all
ongoing development work shall stop, and the critical area and buffer shall be restored. The
City shall have the authority to issue a stop work order to cease all ongoing development

- work, and order restoration, rehabilitation, or replacement measures at the owner's or other responsible party's expense to compensate for violation of provisions of this Title.
- 2. Requirement for Restoration Plan. All development work shall remain stopped until a restoration plan is prepared and approved by the City. Such a plan shall be prepared by a qualified professional using best available science and shall describe how the actions proposed meet the minimum requirements described below. Inadequate plans shall be returned to the applicant or violator for revision and resubmittal. The City may consult with agencies of expertise to ensure plan adequacy.
- 3. Minimum Performance Standards for Restoration
 - a. For alterations to critical aquifer recharge areas, frequently flooded areas, wetlands, and fish and wildlife habitat conservation areas, the following minimum performance standards shall be met for the restoration of a critical area, provided that if the violator can demonstrate that greater functional and habitat values can be obtained, these standards may be modified:
 - The pre-violation structural and functional values shall be restored, including water quality, hydrology and habitat functions;
 - The historic soil types and configuration of the altered area shall be replicated:
 - iii. The critical area and buffers shall be replanted with native vegetation that replicates the vegetation historically found on the site in species type and densities. The historic functions and values should be replicated at the location of the alteration; and
 - Information demonstrating compliance with the requirements in CEMC XX.XX.100 shall be submitted to the Designated Official.
 - b. For alterations to frequently flooded areas and geologically hazardous areas, the following minimum performance standards shall be met for the restoration of a critical area, provided that, if the violator can demonstrate that greater safety can be obtained, these standards may be modified:
 - The hazard shall be reduced to a level equal to, or less than, the predevelopment hazard:
 - ii. Any risk of personal injury resulting from the alteration shall be eliminated or minimized; and
 - iii. The hazard area and buffers shall be replanted with native vegetation sufficient to minimize the hazard.
- 4. **Site Investigations.** The Designated Official is authorized to make site inspections and take such actions as are necessary to enforce this Title, pursuant to CEMC 18.01.060.
- 5. **Penalties.** Penalties for violating the provisions of this Title are specified in CEMC XX.XX.

Chapter XX.XX DEFINITIONS

XX.XX.010 Generally.

Certain terms and words used in this title are defined in the following sections. Words used in the present tense include the future; words in the singular number include the plural number; and words in the plural number include the singular number. The word "shall" is mandatory.

XX.XX.020 Adjacent.

"Adjacent" to a critical area means the project area is located:

- 1. anywhere within the standard critical area buffer and/or standard building setback;
- 2. anywhere within three hundred (300) feet from a fish and wildlife habitat conservation area or wetland; or
- 3. anywhere within two hundred (200) feet from a critical aguifer recharge area.

XX.XX.030 Agricultural Activities.

"Agricultural activities" means agricultural uses and practices including, but not limited to: Producing, breeding, or increasing agricultural products; rotating and changing agricultural crops; allowing land used for agricultural activities to lie dormant; allowing land used for agricultural activities to lie dormant as a result of adverse agricultural market conditions; allowing land used for agricultural activities to lie dormant because the land is enrolled in a local, state, or federal conservation program, or the land is subject to a conservation easement; maintaining, repairing, and replacing agricultural equipment; maintaining, repairing, and replacing agricultural facilities, provided that the replacement facility is no closer to the shoreline and/or critical area than the original facility; and maintaining agricultural lands under production or cultivation.

XX.XX.040 Agricultural Activities, High Intensity.

"High intensity agricultural activities" are defined as: dairies, animal feed lots, nurseries, greenhouses, and like uses which are commercially operated.

XX.XX.050 Agricultural Land.

"Agricultural land" means land primarily devoted to the commercial production of horticultural, viticultural, floricultural, dairy, apiary, vegetable, or animal products or of berries, grain, hay, straw, turf, seed, Christmas trees not subject to the excise tax imposed by *RCW 84.33.100 through 84.33.140, finfish in upland hatcheries, or livestock, and that has long-term commercial significance for agricultural production.

XX.XX.060 Alluvial Fan.

"Alluvial fan" or "Alluvial fan hazard area" means a low, outspread, relatively flat-to- gentle sloping landscape surface composed of eroded alluvial materials deposited by a stream at the transitional area between valley floodplains and steep mountain slopes. Channel pattern in the alluvial fan is highly variable, often dependent on substrate size and age of the landform. Channels may change course frequently, resulting in a multi-branched stream network. Channels can also be deeply incised within highly erodible alluvial material.

XX.XX.070 Alteration.

"Alteration" means any human induced change in an existing condition of a critical area or its buffer. Alteration includes, but is not limited to, grading, filling, channelizing dredging, clearing (vegetation), construction, compaction, excavation, or any other activity that changes the character of the critical area.

XX.XX.080 Anadromous Fish.

"Anadromous Fish" means fish that spawn and rear in fresh water and migrate to the ocean to mature in the marine environment until returning to freshwater to spawn. In City of Cle Elum, these include Pacific salmon, steelhead, bull trout, and Pacific lamprey.

XX.XX.090 Applicant.

"Applicant" means person who files an application for permit under this Title and who is either the owner of the land on which that proposed development would be located, a contract purchaser, or the authorized agent of such a person.

XX.XX.100 Aquifer.

"Aquifer" means geological formation, group of formations, or part of a formation that is capable of yielding a significant amount of water to a well or spring.

XX.XX.102 Arborist.

"Arborist" is defined as a person with a minimum 2-year degree in arboriculture or equivalent discipline such as forestry, horticulture, or biology. Membership and certifications from International Society of Arboriculture as well as documented work experience may be substituted for formal degrees at the discretion of the Designated Official.

XX.XX.104 Area of Special Flood Hazard.

"Area of Special Flood Hazard" is defined as the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year. Designation on maps always includes the letter A. Also referred to as "100-year floodplain" and "special flood hazard area."

XX.XX.110 Avalanche Hazard.

"Avalanche Hazard" means an area susceptible to a large mass of snow or ice, sometimes accompanied by other material, moving rapidly down a mountain slope.

XX.XX.120 Avulsion.

"Avulsion" means a sudden cutting off or separation of land by a flood breaking through a meander or by a sudden change in current whereby the stream deserts its old channel for a new one, such as occurs in Channel Migration Zones.

XX.XX.125 Bank (of a water body)

"Bank" means any land surface landward of the ordinary high water line next to a body of water and constrains the water except during floods. The term "bank" also includes all land surfaces of islands within a body of water that are below the flood elevation of the surrounding body of water.

XX.XX.130 Best Available Science.

"Best Available Science" means scientific information applicable to the critical area prepared by local, state, or federal natural resource agencies, a qualified scientific professional, or team of qualified scientific professionals that is consistent with criteria established in WAC 365-195-900 through WAC 365-195-925.

XX.XX.140 Buffer.

"Buffer" means an area that is contiguous to and protects a critical area, and which is required for the continued maintenance, function, and/or structural stability of a critical area. XX.XX.150

XX.XX.XX.150 Channel Migration Zone.

Channel migration zone (CMZ) means the area along a watercourse, but not always within the flood zone, within which the channel(s) can be reasonably predicted to migrate over time as a result of

natural and normally occurring hydrological and related processes when considered with the characteristics of the river and its surroundings.

XX.XX.155 Clearing.

"Clearing" means significant vegetation removal including the removal or alteration of trees, shrubs, and/or ground cover by grading, cutting, burning, chemical means, or other activity that causes significant ecological impacts to functions provided by such vegetation. The removal of invasive or noxious weeds does not constitute significant vegetation removal. Tree pruning, not including tree topping, where it does not affect ecological functions, does not constitute significant vegetation removal.

XX.XX.160 Critical Aguifer Recharge Areas.

"Critical aquifer recharge areas" are areas with a critical recharging effect on aquifers used for potable water, including areas where an aquifer that is a source of drinking water is vulnerable to contamination that would affect the potability of the water, or is susceptible to reduced recharge. XX.XX.170 Critical Areas.

"Critical areas" include the following areas and ecosystems: (a) wetlands; (b) critical aquifer recharge areas; (c) fish and wildlife habitat conservation areas; (d) frequently flooded areas; and (e) geologically hazardous areas.

XX.XX.200 Cumulative Impacts

"Cumulative Impacts" or "cumulative effects" means the combined, incremental effects of human activity on ecological or critical areas functions and values. Cumulative impacts result when the effects of an action are added to or interact with other effects in a particular place and within a particular time. It is the combination of these effects, and any resulting environmental degradation, that should be the focus of cumulative impact analysis and changes to policies and permitting decisions.

XX.XX.210 Dam.

"Dam" means a barrier or controlling and appurtenant works across a stream or river that does or can confine, impound or regulate flow, or raise water levels for purposes such as flood or irrigation water storage, erosion control, power generation, or collection of sediment or debris.

XX.XX.220 Development.

"Development" means any activity upon the land consisting of construction or alteration of structures, earth movement, dredging, dumping, grading, filling, mining, removal of any sand, gravel, or minerals, driving of piles, drilling operations, bulkheading, clearing of vegetation, or other land disturbance. Development includes the storage or use of equipment or materials inconsistent with the existing use. Development also includes approvals issued by the City that binds land to specific patterns of use, including but not limited to, subdivisions, short subdivisions, zone changes, conditional use permits, and binding site plans. Development activity does not include the following activities:

- 1. Interior building improvements.
- Exterior structure maintenance activities, including painting and roofing.
- Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning, and weeding.
- Maintenance of the following legally existing facilities that does not expand the affected area: septic tanks (routine cleaning); wells;

individual utility service connections; and individual cemetery plots in established and approved cemeteries.

XX.XX.230 Designated Official.

"Designated Official" means the Designated Official of the City of Cle Elum Community Development Services or designee.

XX.XX.240 Dry Well.

"Dry well" means a hole in the ground filled with gravel or rubble intended to receive treated or otherwise unpolluted drainage water and allow it to percolate into the ground. A dry well is typically engineered and designed to infiltrate individual home roof runoff in a subdivision.]

XX.XX.250 Ecological Functions.

"Ecological functions" means the work performed or role played by the physical, chemical, and biological processes that contribute to the maintenance of aquatic and terrestrial environments that constitute the natural ecosystem.

XX.XX.260 Emergency Activities.

"Emergency activities" means activities necessary to prevent an immediate threat to public health, safety, or welfare – or an immediate risk of damage to private property – that require remedial or preventative action in a timeframe too short to allow for compliance with the requirements of this Title

XX.XX.270 Enhancement.

"Enhancement" means actions performed within an existing degraded critical area and/or buffer to intentionally increase or augment one or more ecological functions or values of the existing area. Enhancement actions include, but are not limited to, increasing plant diversity and cover; increasing wildlife habitat and structural complexity (snags, woody debris); installing environmentally compatible erosion controls; removing non-indigenous plant or animal species; or removing human-made structures or fill that are degrading ecological functions or values.

XX.XX.280 Erosion.

"Erosion" means the process whereby wind, rain, water, and other natural agents mobilize and transport particles of soil or rock.

XX.XX.290 Erosion Hazard Areas.

"Erosion hazard areas" are areas containing soils that may experience significant erosion, including any or all of the following:

- Soil areas identified by the Natural Resources Conservation Service as having "severe" or "very severe" erosion hazard; or
- 2. Slopes forty percent (40%) or steeper with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock; or
- 3. Concave slope forms equal to or greater than fifteen percent (15%) with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock; or
- 4. Channel migration zones.1

XX.XX.300 Feasible.

"Feasible" means, for the purpose of this Title, that an action, such as a development activity, mitigation, or preservation requirement, meets all of the following conditions:

- 1. The action can be accomplished with technologies and methods that have been used in the past in similar circumstances, or studies or tests have demonstrated in similar circumstances that such approaches are currently available and likely to achieve the intended results:
- 2. The action provides a reasonable likelihood of achieving its intended purpose;

- The action does not physically preclude achieving the activity's primary intended legal use;
- 4. In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant. In determining an action's infeasibility, the reviewing agency may weigh the action's relative public costs and public benefits, considered in the short- and long-term time frames.

XX.XX.310 Feedlot

"Feedlot" means the use of structures or pens for the concentrated feeding or holding of animals or poultry including, but not limited to, horses, cattle, sheep or swine. This definition includes dairy confinement areas, slaughterhouses, shipping terminal holding pens, poultry and/or egg production facilities and fur farms, but does not include animal husbandry and normal farming practices.

XX.XX.320 Fill.

"Fill" means any solid or semi-solid material that when placed, changes the grade or elevation of the receiving site, including the addition of soil, sand, rock, gravel, sediment, earth retaining structure, or other material to an area waterward of the ordinary high water mark (OHWM), in wetlands, or on shorelands in a manner that raises the ground surface elevation or creates dry land.

XX.XX.330 Fish and Wildlife Habitat Conservation Areas."Fish and wildlife habitat conservation areas" are areas that serve a critical role in sustaining needed habitats and species for the functional integrity of the ecosystem, and which, if altered, may reduce the likelihood that the species will persist over the long term. These areas may include, but are not limited to, rare or vulnerable ecological systems, communities, and habitat or habitat elements including seasonal ranges, breeding habitat, winter range, and movement corridors; areas with high relative population density or species richness; and also, locally important habitats and species designated by the City, and state priority habitats and species as identified by the WA Department of Fish and Wildlife. "Fish and wildlife habitat conservation areas" do not include artificial features or constructs created in what were originally upland areas, such as irrigation delivery systems, irrigation infrastructure, irrigation canals, or drainage ditches that lie within the boundaries of and are maintained by a port district or an irrigation district or company.

XX.XX.340 Floodplain.

"Floodplain" is synonymous with one hundred-(100)-year floodplain and means that land area susceptible to inundation with a one percent (1%) chance of being equaled or exceeded in any given year. The limit of this area shall be based upon flood ordinance regulation maps or a reasonable method which meets the objectives of the act.

XX.XX.340 Floodway.

"Floodway" means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot.

XX.XX.345 Forester.

"Forester" is defined as a person with a minimum 2-year degree in forestry or equivalent discipline such as arboriculture, horticulture, or biology. Membership and certifications from International Society of American Foresters as well as documented work experience may be substituted for formal degrees at the discretion of the Designated Official.

XX.XX.347 Forest Land

"Forest land" means all land which is capable of supporting a merchantable stand of timber and is not being actively used for a use which is incompatible with timber growing. Forest land does not include agricultural land that is or was enrolled in the conservation reserve enhancement program by contract if such agricultural land was historically used for agricultural purposes and the landowner intends to continue to use the land for agricultural purposes in the future.

XX.XX.350 Frequently Flooded Areas.

"Frequently flooded areas" means lands in the floodplain subject to a one percent (1%) or greater chance of flooding in any given year, or within areas subject to flooding due to high groundwater and those lands that provide important flood storage, conveyance, and attenuation functions. These areas include, but are not limited to, streams, rivers, lakes, wetlands, and areas where high groundwater forms ponds on the ground surface. As designated and classified determined by a local government in accordance with WAC 365-190-110. Classifications of frequently flooded areas include, at a minimum, the one hundred-(100)-year floodplain designations of the Federal Emergency Management Agency and the National Flood Insurance Program.

XX.XX.360 Geologically Hazardous Areas.

"Geologically hazardous areas" means areas that because of their susceptibility to erosion, sliding, earthquake, or other geological events, are not suited to the siting of commercial, residential, or industrial development consistent with public health or safety concerns.

XX.XX.370 Geotechnical Analysis or Geotechnical Report.

"Geotechnical analysis" or "geotechnical report" means a scientific study or evaluation conducted by a qualified expert that includes a description of the ground and surface hydrology and geology, the affected land form and its susceptibility to mass wasting, erosion, and other geologic hazards or processes, conclusions and recommendations regarding the effect of the proposed development on geologic conditions, the adequacy of the site to be developed, the impacts of the proposed development, alternative approaches to the proposed development, and measures to mitigate potential site-specific and cumulative geological and hydrological impacts of the proposed development, including the potential adverse impacts to adjacent and down-current properties. Geotechnical reports shall conform to accepted technical standards and must be prepared by qualified professional engineers or geologists who have professional expertise about the regional and local shoreline geology and processes.

XX.XX.380 Grading.

"Grading" means the movement or redistribution of the soil, sand, rock, gravel, sediment, or other material on a site in a manner that alters the existing contour of the land.

XX.XX.390 Groundwater.

"Groundwater" means all the water that exists beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

XX.XX.400 Habitats of Local Importance.

"Habitats of local importance" designated as fish and wildlife habitat conservation areas include those areas found and/or designated to be locally important by the City.

Formatted: Space After: 0 pt

XX.XX.405 Hazard Tree.

"Hazard Tree" means a tree with a structural defect, combination of defects or disease resulting in a structural defect that, under the normal range of environmental conditions at the site, will result in the loss of a major structural component of the tree in a manner that will:

- Damage a residential structure or accessory structure, or a place of employment or public assembly;
- (2) Damage an approved road, utility, or public facility;
- (3) Prevent emergency access in the case of medical hardship; or
- (4) Endanger pedestrians or users of a recreational area

XX.XX.406 Hazard Tree Determination Report.

"Hazard Tree Determination Report" means a written document prepared by an arborist or forester containing the following elements:

- 1. Parcel, address, and name of landowner of site where tree(s) are located.
- 2. Description of size, health, and species of tree(s) evaluated,
- 3. Description of factors related to potential impacts to human health or structures posed by evaluated tree(s),
- 4. Alternative methods (pruning, cabling, etc.) considered,
- Location of nearby critical areas (wetlands, streams, steep slopes, landslides, floodplains, shorelines, etc.),
- 6. Proposed methods for removal,
- 7. Size and species of replacement trees, if any,
- 8. Site map showing parcel lines, structures, evaluated trees, critical areas, utilities, and other pertinent information described in the report,
- 9. Date of field evaluation and signature of arborist or forester,
- 10. Qualifications of arborist or forester authoring the report.

XX.XX.410 Hazardous Substances.

"Hazardous Substances" means any liquid, solid, gas, or sludge, including any material, substance, product, commodity, or waste, regardless of quantity, that exhibits any of the physical, chemical, or biological properties described in WAC 173-303-090 or 173-303-100.

XX.XX.430 Hydric Soil.

"Hydric soil" means a soil that is saturated, flooded, or ponded long enough during the growing season to develop anaerobic conditions in the upper part.

XX.XX.440 Hyporheic Zone.

"Hyporheic zone" means the saturated zone located beneath and adjacent to streams that contains some portion of surface waters, serves as a filter for nutrients, and maintains water quality.

XX.XX.450 Impervious Surface.

"Impervious Surface" means a hard surface area which either prevents or retards the entry of water into the soil surface and subsoils, such as would occur under natural conditions prior to development, or which causes water to run off the surface in greater quantities or at an increased rate of flow relative to natural conditions prior to development. Common impervious surfaces include, but are not limited to: rooftops, walkways, patios, driveways, parking lots, storage areas, concrete or

asphalt paving, gravel roads, packed earthen materials, and oiled macadam, or other surfaces which similarly impede the natural infiltration of stormwater.

XX.XX.460 In-Stream Structure.

"In-stream structure" is a human-made structure placed within a stream or river waterward of the ordinary high water mark that either causes or has the potential to cause water impoundment, or the diversion, obstruction, or modification of water flow. In-stream structures may include those for hydroelectric generation, irrigation, water supply, flood control, transportation, utility service transmission, fish habitat enhancement, or other purpose.

XX.XX.470 Landslide Hazard Areas.

"Landslide hazard areas" are areas potentially subject to landslides based on a combination of geologic, topographic, and hydrologic factors. They include any areas susceptible because of any combination of bedrock, soil, slope (gradient), slope aspect, structure, hydrology, or other factors. A slope is delineated by establishing its toe and top and measured by averaging the inclination over at least ten (10) feet of vertical relief. Potential landslide hazard areas include but are not limited to the following areas:

- Āreas designated as quaternary slumps, earth-flows, mudflows, or landslides on maps published by the U.S. Geological Survey or Washington State Department of Natural Resources.
- 2. Areas with all three (3) of the following characteristics:
 - a. Slopes steeper than fifteen percent (15%);
 - b. Hillsides intersecting geologic contacts with a relatively permeable sediment overlying a relatively impermeable sediment or bedrock; and
 - c. Springs or groundwater seepage.
- 3. Areas that have shown movement and/or are underlain or covered by mass wastage debris;
- 4. Slopes that are parallel or sub-parallel to planes of weakness (which may include but not be limited to bedding planes, soft clay layers, joint systems, and fault planes) in subsurface materials:
- Slopes having gradients steeper than eighty percent (80%) subject to rock fall during seismic shaking;
- 6. Areas that show evidence of, or are at risk from snow avalanches; and
- Any area with a slope of forty percent (40%) or steeper and with a vertical relief of ten (10) or more feet except areas composed of competent bedrock.
- 8. Potentially unstable slopes resulting from river erosion or undercutting.
- 9. Areas that show past sloughing or calving of sediment or rocks resulting in a steep slope that is poorly vegetated.
- 10. Deep-seated landslide areas characterized by one or more of the following features, which may be evident in aerial images, topographic maps, LiDAR imagery or on the ground:
 - a. scalloped ridge crests at the top of the slope,
 - b. crescent shaped depressions,
 - c. head scarps,
 - d. side scarps,
 - e. ponds or sag areas on mid slopes,
 - f. benches and scarps on mid slope areas,
 - g. hummocky ground,
 - h. linear fractures in the ground.
- 11. Areas below unstable slopes or that have been identified as landslide hazard areas that could be impacted by landslide run out.
- 12. Areas above or adjacent to unstable slopes that could be impacted if the landslide area expands.

XX.XX.480 Mine Hazard Areas.

"Mine hazard areas" are areas underlain by abandoned mine shafts, secondary passages between shaft tunnels, or air vents. Mine hazards include subsidence, which is the uneven downward movement of the ground surface caused by underground workings caving in; contamination to ground and surface water from tailings and underground workings; concentrations of lethal or noxious gases; and underground fires.

XX.XX.490 Mining.

"Mining" means the removal of sand, gravel, soil, minerals, and other earth materials for commercial and other uses. Mining does not include mineral prospecting conducted according to the most current WAC for mineral prospecting under the hydraulic code.

XX.XX.500 Mitigation Sequencing.

"Mitigation Sequencing" means a process used to guide mitigation decisions and determine the type and level of mitigation required. It follows a three (3) step process, described in XX.XX.100:

- a. Avoiding the impact altogether by not taking a certain action or parts of an action;
- Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps to avoid or reduce impacts;
- Rectifying the impact by repairing, rehabilitating, or restoring the affected environment;
- d. Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action;
- e. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and/or
- f. Monitoring the impact and taking appropriate corrective measures.

XX.XX.510 Monitoring.

"Monitoring" means evaluating the impacts of proposed developments on the biological, hydrological, and geological elements of such systems, and assessing the performance of required mitigation measures throughout the collection and analysis of data by various methods for the purpose of understanding and documenting changes in natural ecosystems and features, including gathering baseline data.

XX.XX.520 Native Growth Protection Area.

"Native growth protection area" means an area where native vegetation is preserved for the purpose of preventing harm to property and the environment, including, but not limited to, controlling surface water runoff and erosion, maintaining slope stability, buffering, and protecting plant and animal habitat.

XX.XX.530 Native Vegetation.

"Native Vegetation" means plant species that are indigenous to the area in question.

XX.XX.540 Naturally Occurring Ponds.

"Naturally occurring ponds" means those ponds and their submerged aquatic beds that provide fish or wildlife habitat, including those artificial ponds intentionally created in upland areas for mitigation purposes. Naturally occurring ponds do not include ponds deliberately designed and created in upland sites for purposes other than mitigation, such as irrigation canals, detention facilities, wastewater treatment facilities, farm ponds, temporary construction ponds, and landscape amenities.

XX.XX.550 Nonconformity.

"Nonconformity" means a legally established existing use or legally constructed structure that is not in compliance with the current regulations.

XX.XX.560 Ordinary High Water Mark (OHWM).

"Ordinary high water mark (OHWM)" on all lakes, streams, and tidal water means that mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the Washington State Department of Ecology; provided that in any area where the OHWM cannot be found, the OHWM adjoining salt water shall be the line of mean higher high tide and the OHWM adjoining freshwater shall be the line of mean high water.

XX.XX.570 Permeability.

"Permeability" means the capacity of an aquifer or confining bed to transmit water. It is a property of the aquifer or confining bed and is independent of the force causing movement.

XX.XX.590 Priority Habitat.

"Priority habitat" means a habitat type or elements with unique or significant value to one or more species as classified by the state Department of Fish and Wildlife. A priority habitat may be described by a unique vegetation type or by a dominant plant species that is of primary importance to fish and wildlife (e.g., oak woodlands, juniper savanna). A priority habitat may also be described by a successional stage (e.g., old growth and mature forests). Alternatively, a priority habitat may consist of a specific habitat feature (e.g., talus slopes, caves, snags) of key value to fish and wildlife.

XX.XX.600 Priority Species.

"Priority species" means species requiring protective measures and/or management guidelines to ensure their persistence at genetically viable population levels. Priority species include State Endangered, Threatened, Sensitive, and Candidate species; animal aggregations (e.g., heron colonies, bat colonies) considered vulnerable; and species of recreational, commercial, or tribal importance that are vulnerable. A species identified and mapped as priority species fit one or more of the following criteria:

1. Criterion 1. State-Listed and Candidate Species:

State-listed species are native fish and wildlife species legally designated as Endangered (WAC 232-12-014), Threatened (WAC 232-12-011), or Sensitive (WAC 232-12-011). State Candidate species are fish and wildlife species that will be reviewed by the department (POL-M-6001) for

possible listing as Endangered, Threatened, or Sensitive according to the process and criteria defined in WAC-232-12-297.

2. Criterion 2. Vulnerable Aggregations:

Vulnerable aggregations include species or groups of animals susceptible to significant population declines, within a specific area or statewide, by virtue of their inclination to aggregate. Examples include heron rookeries, seabird concentrations, marine mammal haulouts, shellfish beds, and fish spaning and rearing areas.

3. Criterion 3. Species of Recreational, Commercial, and/or Tribal Importance:

Native and non-native fish and wildlife species of recreational or commercial importance, and recognized species used for tribal ceremonial and subsistence purposes, whose biological or ecological characteristics make them vulnerable to decline in Washington or that are dependent on habitats that are highly vulnerable or are in limited availability.

XX.XX.610 Public Facilities.

"Public facilities" include streets, roads, highways, sidewalks, street and road lighting systems, traffic signals, domestic water systems, storm and sanitary sewer systems, parks and recreational facilities, and schools.

XX.XX.620 Qualified Professional.

"Qualified professional" means a person with experience and training in the applicable field or critical area. A qualified professional must have obtained a B.S. or B.A. or equivalent degree in biology, soil science, botany, engineering, environmental studies, fisheries, geology or related field, and a minimum of 2 years of related work experience. Other equivalently qualified professionals may be approved by the Designated Official on a case by case basis.

- A qualified professional for wetlands and fish and wildlife habitat conservation areas must have a degree in biology, soil science, botany or related fields and relevant professional experience or professional certification (Professional Wetland Scientist Certification) that documents capability in functional assessment and mitigation techniques. For wetlands, Professional Wetland Scientist Certification, or other documentation of expertise, is required.
- 2. A qualified professional for preparing Geologically Hazardous Area Assessments must be a professional geologist or engineering geologist licensed in the State of Washington.
- 3. Engineered structures for mitigation of geologic hazards must be designed by a qualified professional engineer or engineering geologist, licensed in the State of Washington.
- A qualified professional for critical aquifer recharge areas must be a professional hydrogeologist licensed in the State of Washington, who is trained and qualified to analyze geologic, hydrologic, and groundwater flow systems.

XX.XX.630 Rehabilitation.

"Rehabilitation" means a type of restoration action intended to repair natural or historic functions and processes. Rehabilitation activities could involve breaching a dike to reconnect wetlands to a floodplain or other activities that restore the natural water regime.

XX.XX.640 Repair or Maintenance.

"Repair or maintenance" means an activity that restores the character, scope, size, and design of a serviceable area, structure, or land use to its previously authorized and undamaged condition. Activities that change the character, size, or scope of a project beyond the original design and/or which drain, dredge, fill, flood, or otherwise alter critical areas are not included in this definition.

XX.XX.650 Restore or Restoration.

"Restore," "restoration" or "ecological restoration" means repairing environmental damage to a condition equivalent to the pre-impact condition, or upgrading of impaired critical area processes or functions. This may be accomplished through measures including, but not limited to, re-vegetation, removal of intrusive stream bank structures, or removal or treatment of toxic materials. Restoration does not imply a requirement for returning the critical area to aboriginal or pre-European settlement conditions.

XX.XX.660 Riparian

"Riparian" areas are transitional between terrestrial and aquatic ecosystems and are distinguished by gradients in biophysical conditions, ecological processes, and biota. They are areas through which surface and subsurface hydrology connect waterbodies with their adjacent uplands. They include those portions of terrestrial ecosystems that significantly influence exchanges of energy and matter with aquatic ecosystems (i.e., a zone of influence).

XX.XX.665 Riparian Management Zone(s)

"Riparian management zone(s)" or "RMZ(s)" is a scientifically based description of the area adjacent to rivers and streams (see "riparian") based on the site potential tree height conceptual framework. It is the area that has the potential to provide full ecological function for bank stability, shade, pollution removal, contributions of detrital nutrients, and recruitment of large woody debris.

XX.XX.670 Seismic Hazard Areas.

"Seismic hazard areas" are areas subject to severe risk of damage as a result of earthquake induced ground shaking, slope failure, settlement, soil liquefaction, lateral spreading, or surface faulting.

XX.XX.680 Setback

"Setback" means the distance a building or structure is placed from a specified limit such as a lot line or a critical area buffer.

XX.XX.690 Shorelines of the State.

"Shorelines" means all of the water areas of the state, including reservoirs, and their associated shorelands, together with the lands underlying them; except (i) shorelines of statewide significance; (ii) shorelines on segments of streams upstream of a point where the mean annual flow is twenty cubic feet per second (20 cfs) or less and the wetlands associated with such upstream segments; and (iii) shorelines on lakes less than twenty (20) acres in size and wetlands associated with such small lakes.

XX.XX.700 Shorelines of Statewide Significance.

"Shorelines of statewide significance" means the shorelines identified in RCW 90.58.030 which because of their elevated status require the optimum implementation of the Shoreline Management Act's policies. This includes all rivers with a mean annual flow of greater than two hundred cubic feet per second (200 cfs) and lakes with surface areas of one thousand (1,000) acres or more.

Shrub-Steppe. "Shrub-Steppe" is a nonforested vegetation type consisting of XX.XX.710 one or more layers of perennial bunchgrasses and a conspicuous but discontinuous layer of shrubs (see Eastside Steppe for sites with little or no shrub cover). Although Big Sagebrush (Artemisia tridentata) is the most widespread shrub-steppe shrub, other dominant (or co-dominant) shrubs include Antelope Bitterbrush (Purshia tridentata), Threetip Sagebrush (A. tripartita), Scabland Sagebrush (A. rigida), and Dwarf Sagebrush (A. arbuscula). Dominant bunchgrasses include (but are not limited to) Idaho fescue (Festuca idahoensis), Bluebunch Wheatgrass (Pseudoroegneria spicata), Sandberg Bluegrass (Poa secunda), Thurber's Needlegrass (Achnatherum thurberianum), and Needle-and-Thread (Hesperostipa comata). In areas with greater precipitation or on soils with higher moisture-holding capacity, shrub-steppe can also support a dense layer of forbs (i.e., broadleaf herbaceous flora). Shrub-steppe contains various habitat features, including diverse topography, riparian areas, and canyons. Another important component is habitat quality (i.e., degree to which a tract resembles a site potential natural community), which may be influenced by soil condition and erosion; and the distribution, coverage, and vigor of native shrubs, forbs, and grasses. Sites with less disturbed soils often have a layer of algae, mosses, or lichens. At some more disturbed sites, non-natives such as Cheatgrass (Bromus tectorum) or Crested Wheatgrass (Agropyron cristatum) may be co-dominant species. Fire disturbance is an ecological component of shrub-steppe. Shrub-steppe disturbed by fire may lack the aforementioned habitat components during periods of post-fire recovery

XX.XX.715 Site Potential Tree Height (SPTH)

"Site Potential Tree Height" or "SPTH" is the average maximum height of the tallest dominant trees (200 years or more in age) for a given area.

XX.XX.720 Soft Armoring.

"Soft armoring" means stream bank erosion control practices using predominantly natural materials in a design that minimizes impacts to natural processes. This term is frequently used in reference to bioengineering.

XX.XX.730 Species of Local Importance.

"Species of local importance" are those species that are of local concern due to their population status or their sensitivity to habitat alteration or that are game species.

XX.XX.740 Streams

"Streams" see definition for "Watercourse"

XX.XX.750 Stream or Water Type

"Stream or Water Types" are fully defined in WAC 222-16-030. An abbreviated definition is provided below, but the full WAC definition is adopted and applies:

1. "Type S Water" means all designated "shorelines of the state".

- 2. "Type F Water" means streams other than Type S Waters that contain fish habitat or are diverted for certain kinds of domestic use or for use by fish hatcheries.
- 3. "Type Np Water" means streams that are perennial nonfish habitat streams.
- 4. "Type Ns Water" means streams that are seasonal, nonfish habitat streams, which are physically connected by an above-ground channel system to Type S, F, or Np Waters.

XX.XX.760 Structure.

"Structure" means a permanent or temporary edifice or building, or any piece of work artificially built or composed of parts joined together in some definite manner, whether installed on, above, or below the surface of the ground or water, except for vessels.

XX.XX.770 Unavoidable.

"Unavoidable" means adverse impacts that remain after all appropriate and practicable avoidance and minimization have been achieved.

XX.XX.780 Volcanic Hazard Areas.

Volcanic hazard areas are subject to pyroclastic flows, lava flows, debris avalanche, inundation by debris flows, mudflows, or related flooding resulting from volcanic activity. There are no active or dormant volcanoes located within City of Cle Elum; however, Mount Rainer and Mount St. Helens are relatively near. Hazards to City of Cle Elum residents from these volcanoes are limited to ash deposition.

XX.XX.790 Watercourse.

"Watercourse," "river" or "stream" means any portion of a stream or river channel, bed, bank, or bottom waterward of the ordinary high water line of waters of the state. Watercourse also means areas in which fish may spawn, reside, or pass, and tributary waters with defined bed or banks that influence the quality of habitat downstream. Watercourse also means waters that flow intermittently or that fluctuate in level during the year, and the term applies to the entire bed of such waters whether or not the water is at peak level. A watercourse includes all surface-water-connected wetlands that provide or maintain habitat that supports fish life. This definition does not include irrigation ditches, canals, stormwater treatment and conveyance systems, or other entirely artificial watercourses, except where they exist in a natural watercourse that has been altered by humans..

XX.XX.800 Water Quality.

"Water quality" means the physical characteristics of water, including water quantity, hydrological, physical, chemical, aesthetic, recreation-related, and biological characteristics.

XX.XX.810 Water System.

"Water system" means any system providing water intended for, or used for, human consumption, domestic uses, or commercial businesses. It includes, but is not limited to, the source, purification, storage, transmission, pumping, irrigation, and distribution facilities.

XX.XX.820 Waters of the State.

"Waters of the state" means lakes, rivers, ponds, streams, inland waters, underground waters, and all other surface watercourses within the jurisdiction of the state of Washington, as classified in WAC 222-16-030.

XX.XX.830 Wellhead Protection Area.

"Wellhead protection area" means the portion of a well's, wellfield's, or spring's zone of contribution within the ten-year time of travel boundary, or boundaries established using alternate criteria approved by the state Department of Health in those settings where groundwater time of travel is not a reasonable delineation criteria.

XX.XX.840 Wetland.

"Wetland" or "wetlands" means areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. Wetlands do not include those artificial wetlands intentionally created from nonwetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from nonwetland areas created to mitigate conversion of wetlands.

Chapter XX.XX CRITICAL AQUIFER RECHARGE AREAS (CARAS)

Sections:

XX.XX.010	Purpose and Intent.
XX.XX.020	Classification, Designation, and Mapping.
XX.XX.030	Applicability.
XX.XX.040	Protection Standards.
XX.XX.050	Reporting.

XX.XX.010 Purpose and Intent.

The purpose of this chapter is to protect critical aquifer recharge areas from degradation resulting from alterations and development. It is the intent of this chapter to safeguard groundwater resources against contaminants from alterations and development.

XX.XX.020 Designation, and Mapping.

- 1. Classification and Designation. Critical aquifer recharge areas are areas of unconsolidated deposits within the Roslyn and Kittitas Basins, and all Group A well head protection areas, as shown on the Source Water Assessment Program (SWAP) mapping tool through the Department of Health. The City of Cle Elum finds that all groundwater sources should be protected equally, and requires that all projects proposing uses listed in XX.XX.030 that are City Limits of the City of Cle Elum shall be reviewed for potential hazards to groundwater.
- Mapping. Group A well head protection areas are depicted upon official mapping from the Washington State Department of Health on the Source Water Assessment Tools; however, it should be noted that all areas within the existing and future incorporated limits of the City of Cle Elum are hereby designated as Critical Aquifer Recharge Areas.

XX.XX.030 Applicability.

This chapter regulates the following uses when located in a critical aquifer recharge area:

- 1. Storage tanks;
- 2. Commercial vehicle repair, servicing, and salvaging facilities;
- 3. Reclaimed wastewater;
- New landfills, including hazardous or dangerous waste, municipal solid waste, special waste, wood waste of more than two thousand (2,000) cubic yards, and inert and demolition waste landfills.
- Injection wells used for disposal of waste products including, but not limited to, stormwater discharge, hazardous or radioactive waste, or industrial waste;
- Wood treatment facilities that allow any portion of the treatment process to occur over permeable surfaces (both natural and manmade);
- 7. Commercial coal, ore mining operations, and natural gas exploration and extraction;
- Facilities that store, process, or dispose of chemicals containing perchloroethylene (PCE) or methyl tertiary butyl ether (MTBE) or other chemicals with the potential to contaminate groundwater;
- 9. Dairy farms and feedlots;
- 10. Man-made stormwater detention or infiltration ponds, manure lagoons, and irrigation ponds; and
- 11. Any other alteration or development that the Designated Official determines based on best available science– is likely to have a significant adverse impact on ground water.

XX.XX.040 Protection Standards.

- Storage tanks. Aboveground and underground storage tanks or vaults used for the storage
 of hazardous substances, animal wastes, sewage sludge, fertilizers, other chemical or
 biological hazards, dangerous wastes as defined in WAC Chapter 173-303, or any other
 substances, solids, or liquids in quantities identified by City of Cle Elum Public Health as a
 risk to groundwater quality, shall be designed and constructed to:
 - a. Prevent the release of such substances to the ground, ground waters, or surface waters:
 - b. Include an impervious containment area with a volume greater than the volume of the storage tank or vault to avoid an overflow of the containment area;
 - c. Provide for release detection;
 - d. Provide written spill response and spill notification procedures to the local fire district;
 - Use material in the construction or lining of the storage containment area which is compatible with the substance to be stored to protect against corrosion or leakage, or otherwise designed in a manner to prevent the release or threatened release of any stored substance; and
 - f. Comply with WAC 173-303 and 173-360 as well as International Building Code requirements.
- 2. Commercial vehicle repair, servicing, and salvaging facilities. Vehicle repair and servicing activities shall be conducted over impermeable pads and within a covered structure capable of withstanding normally expected weather conditions. Chemicals used in the process of vehicle repair, servicing, and salvaging must be stored in a manner that protects them from weather and provides containment should leaks occur. Dry wells shall not be allowed on sites used for vehicle repair, servicing, and salvaging. Dry wells existing on the site prior to facility establishment must be abandoned using techniques approved by the Washington State Department of Ecology prior to commencement of the proposed development.
- 3. **Reclaimed wastewater**. Use of reclaimed wastewater must be in accordance with adopted water or sewer comprehensive plans that have been approved by Ecology.
- Other regulated uses. Protection standards for other uses regulated under CEMC XX.XX.030 shall be based on analysis and recommendations contained in the hydrogeologic reports required for specific projects.

XX.XX.050 Reporting.

- When required. Except for storage tanks, all uses listed in CEMC XX.XX.030 require City review and approval of a special hydrogeological assessment prepared by a qualified professional.
- 2. **Contents.** The hydrogeological assessment shall include the general critical areas report requirements of CEMC XX.XX.080 in addition to the following:
 - Geologic setting and soils information for the site and surrounding area;
 - Water quality data, including pH, temperature, dissolved oxygen, conductivity, nitrates, and bacteria;
 - c. Location and depth of perched water tables;
 - d. Recharge potential of site (permeability/transmissivity);
 - e. Hydrologic budget;
 - f. Local groundwater flow, direction, and gradient;
 - g. Location, depth, and other water quality data on the three (3) shallowest wells or springs located within one thousand (1,000) feet of the site;
 - h. Potential impacts to wellhead protection areas located within the site;
 - i. Surface water locations within one thousand (1,000) feet of the site;
 - Discussion of the effects of the proposed development on groundwater quality and quantity;

- k. Recommendations on appropriate mitigation, if any, to assure that there shall be no measurable exceedance of minimum state groundwater quality standards or measurable reduction in available quantity of groundwater;
 l. Emergency management plan; and
 m. Containment release detection.

Chapter XX.XX FISH AND WILDLIFE HABITAT CONSERVATION AREAS

Sections:

XX.XX.010	Purpose and Intent.
XX.XX.020	Designation, Mapping.
XX.XX.030	Buffers.
XX.XX.040	General Protection Standards.
XX.XX.050	Permitted Alterations and Development.
XX.XX.060	Reporting.
XX.XX.070	Mitigation Requirements.

XX.XX.010 Purpose and Intent.

The purpose of this chapter is to identify, designate, and protect regulated critical fish and wildlife species and habitats, including anadromous species and their habitats, consistent with best available science.

XX.XX.020 Designation, and Mapping, Checklist, and Classification.

- 1. **Designation**. Fish and wildlife habitat conservation areas include:
 - a. Waters of the state.
 - Areas with which federally-designated endangered, threatened, and sensitive fish and wildlife species have a primary association. The U.S. Fish and Wildlife Service and the National Marine Fisheries Service should be consulted for current federal listing status.
 - c. Areas with which state-designated endangered, threatened, and sensitive fish and wildlife species have a primary association. The Washington State Department of Fish and Wildlife should be consulted for current state listing status.
 - d. State priority habitats and areas associated with state priority species. The state Department of Fish and Wildlife should be consulted for current listing of priority habitats and species.
 - e. Habitats and species of local importance. City of Cle Elum recognizes that the priority habitats and species designated by the Washington Department of Fish and Wildlife that occur within the City are locally important and are hereby designated as habitats and species of local importance.
 - f. Naturally occurring ponds smaller than twenty (20) acres.
 - Lakes, ponds, streams, and rivers planted with game fish by a government or tribal entity.
 - h. State natural area preserves, natural resource conservation areas. Natural area preserves and natural resource conservation areas are defined, established, and managed by the Washington State Department of Natural Resources.
 - . **State wildlife areas.** State wildlife areas are defined, established, and managed by the Washington State Department of Fish and Wildlife.
- 2. Mapping. The approximate location and extent of fish and wildlife habitat conservation areas are shown through BAS resources, including the WDFW Priority Habitats and Species maps, the United States Fish and Wildlife Service, and the NOAA Fisheries critical habitat maps. These maps are to be used as a guide and do not provide definitive information about fish and wildlife habitat conservation area size or presence. Fish and wildlife habitat conservation areas may exist that do not appear on the maps. The City shall encourage state and federal agencies to update their mapping sources periodically as new fish and wildlife habitat conservation areas are identified and as new information becomes available.

- 3. Habitat boundary survey. If the Designated Official determines that a fish and wildlife habitat conservation area may be present within the project vicinity, he/she may require the habitat area to be delineated and/or mapped by a qualified professional who is knowledgeable about fish and wildlife habitat conservation areas within City of Cle Elum, or confirmed by the Washington Department of Fish and Wildlife. The existing maps showing the locations of fish and wildlife habitat conservation areas are coarse-scaled, and for planning purposes only. A survey performed by a qualified biologist may be necessary to determine the precise boundary of a habitat area. Unless otherwise defined in this Chapter, the boundary of aquatic habitats shall be the ordinary high water mark of the waterbody. The management recommendations for Washington's priority habitats and species or federal equivalent should be used as a tool for identifying and delineating fish and wildlife habitat boundaries. The City may waive this requirement if there is adequate information available on the area proposed for development to determine the impacts of the proposed development and appropriate mitigating measures.
- 4. Waters of the state classification. For purposes of this Chapter, City of Cle Elum hereby adopts the water typing system specified in WAC 222-16-030, as described below:
 - a. Type S: all waters, within their ordinary high water mark, meeting the criteria as "shorelines of the state" and "shorelines of statewide significance" under RCW Chapter 90.58. The current list of Shoreline waters, along with their specific shorelines environments, is provided in the City of Cle Elum Shoreline Master Program (CEMC Title 17B). Type S streams and lakes are protected by the Shoreline Master Program, rather than through this Title.
 - b. Type F: segments of natural waters other than Type S Waters, which are within the bankfull widths of defined channels and periodically inundated area of their associated wetlands, or within lakes, ponds, or impoundments having a surface area of 0.5 acre or greater at seasonal low water and which in any case contain fish habitat
 - c. Type Np: all segments of natural waters within the bankfull width of defined channels that are perennial non-fish habitat stream. Perennial stream waters do not go dry any time of a year of normal rainfall. However, for the purpose of water typing, Type Np Waters include the intermittent dry portions of the perennial channel below the uppermost point of perennial flow.
 - d. Type Ns: All segments of natural waters within the bankfull width of the defined channels that are not Type S, F, or Np waters. These are seasonal, non-fish habitat streams in which surface flow is not present for at least some portion of a year of normal rainfall and are not located downstream from any stream reach that is a Type Np, F or S Water. Ns Waters must be upstream from and physically connected by an above-ground channel system to Type S, F, or Np Waters. [WAC 222-16-030]

XX.XX.030 Riparian Management Zones and Buffers.

- Purpose. Riparian Management Zones (RMZs) and Buffers shall be established and maintained to protect fish and wildlife habitat conservation areas. RMZs refer to areas established and maintained to protect streams. Buffers refer to areas established and maintained to protect nonaquatic fish and wildlife habitat conservation areas.
- Measurement. RMZs for streams shall be measured in all directions from the ordinary high water mark (OHWM) as identified in the field. Building setbacks (XX.XX090.5) are in addition to RMZs and buffers and are measured outward from the edge of the RMZ or buffer boundary. (See XX.XX.030(8) for information regarding nonaquatic fish and wildlife habitat conservation area buffers.)
- 3. **RMZ** and Buffer Condition. RMZs and buffers shall be maintained in a predominantly well-vegetated and undisturbed condition to ensure that they perform their intended function of

Formatted: Not Highlight

protecting the FWHCA. Tree removal is prohibited in RMZs and FWHCA buffers other than in accordance with XX.XX.050.3.j.

4. Standard Riparian Management Zones for Waters of the State.

Table XX.XX.030-4 Standard RMZ Widths

Stream Type	
Stream Type	Cascade Ecoregion (feet)RMZ
Type S (Shoreline)	See the SMP
Type F	150 150
Type Np	100 100
Type Ns	50 50

Formatted Table

Commented [MH1]: This is based on the BAS report from July 2020 for the Cascade Ecoregion

- ¹ Interrupted RMZs: When a fish and wildlife habitat conservation area RMZ contains an existing legally established public or private road, the Designated Official may allow an alteration or development on the landward side of the road provided that the alteration or development will not have a detrimental impact to the habitat area. The Designated Official may require a habitat management plan if after considering the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption such a plan is deemed necessary to confirm the lack of detrimental impact on the habitat area.
- ² Multiple RMZs: In the event that RMZs for any fish and wildlife habitat conservation area are contiguous or overlapping, the most protective of the collective RMZs shall apply.
 ³ The Cascade and Columbia Plateau Ecoregions are derived from the Water Resource Inventory Areas (WRIA) 38, 39, and 40 ecoregion boundaries. The Cascade Ecoregion includes North Cascades, Cascades, and Eastern Cascade Slopes and Foothills ecoregions. The Columbia Plateau Ecoregion includes the shrub-steppe ecoregion known as the Columbia Plateau.
- 5. Increased RMZs. The Designated Official shall increase the fish and wildlife habitat conservation area RMZ width where the standard RMZ is inadequate to prevent significant adverse environmental impacts or to address hazards associated with the site or the proposed alteration or development. The Designated Official may increase the buffer up to a maximum of two times the standard width. The Designated Official shall consider increasing the RMZ when any of the following conditions are present:
 - a. The composition, quality and density of the buffer vegetation is insufficient to protect the habitat area;
 - b. There is evidence of historical or current susceptibility to severe erosion, channel instability, or aggrading;
 - c. There are multiple channels or islands present; or
 - d.The land adjacent to the ordinary high water mark and extending throughout the standard habitat buffer is steeply sloped (greater than forty percent (40%) slope) and there are no designated landslide hazards such that an increased buffer may be required to protect ecological functions.

- 6. Riparian Management Zone or Buffer averaging. The Designated Official may allow averaging of the standard RMZ or buffer widths of fish and wildlife habitat sites in accordance with an approved habitat management plan on a case-by-case basis. With RMZ or buffer averaging, the RMZ or buffer width is reduced in one location and increased in another location to maintain the same overall standard area. Proposals for RMZ or buffer averaging shall meet all the following:
 - The Fish and wildlife habitat conservation area RMZ or buffer has not been averaged or reduced by any prior actions administered by City of Cle Elum;
 - b. No feasible site design could be accomplished without buffer averaging;
 - The RMZ or buffer averaging will not reduce habitat functions or adversely affect anadromous fish habitat;
 - d. The minimum width of the RMZ or buffer at any given point is at least seventy-five percent (75%) of the standard width, or thirty (30) feet, whichever is greater: and
 - e. The area that is added to the RMZ or buffer to offset the reduction is well-vegetated or will be densely planted with native vegetation along with monitoring and management to ensure that it becomes so. The Designated Official may require such native vegetation enhancement if needed to ensure this criterion is met.
- 8. **Buffers for non-aquatic habitats.** Appropriate site- and species-specific buffers for nonaquatic fish and wildlife habitat conservation areas shall be based upon best available science, and recommendations by the Washington Department of Fish and Wildlife or a qualified professional biologist. Buffers will be measured in all directions from the habitat boundary, as mapped by the Washington State Department of Fish and Wildlife or qualified professional pursuant to XX.XX.020 and verified by the Designated Official.
 - a. Interrupted Buffers: When a fish and wildlife habitat conservation area buffer contains an existing legally established public or private road and/or a legally established development which creates a significant interruption of buffer function, the Designated Official may allow an alteration or development on the opposite side of the road from the habitat area provided that the actions will not have a detrimental impact to the habitat area. The Designated Official may require a habitat management plan if after considering the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption such a plan is deemed necessary to confirm the lack of detrimental impact on the habitat area.
 - b. Multiple buffers: In the event that buffers for any fish and wildlife habitat conservation area or other critical area (including RMZs) are contiguous or overlapping, the most protective of the collective buffers shall apply.

XX.XX.040 General Protection Standards.

- Alterations. All alterations and development shall be prohibited from fish and wildlife habitat
 conservation areas and their buffers, except in accordance with this Title. A fish and wildlife
 habitat conservation area, RMZ, or buffer may be altered only if the proposed alteration of
 the habitat and/or any required compensatory mitigation does not degrade the functions and
 values of the habitat.
- 2. **Mitigation requirement.** Mitigation of alterations to fish and wildlife habitat conservation areas and their buffers shall meet the requirements of CEMC XX.XX.030.
- 3. Anadromous fish. All alterations and development proposed to be located in aquatic fish and wildlife habitat conservation areas used by anadromous fish or in areas that affect such aquatic habitat areas shall give special consideration to the preservation and enhancement of anadromous fish habitat, including, but not limited to, adhering to the following standards:

- a. An alternative alignment or location for the alteration or development is not feasible;
- The alteration or development is designed so that it will not degrade the functions or values of the fish habitat or other critical areas;
- Stream bank erosion control measures shall be designed to use bioengineering methods or soft armoring techniques, according to the WDFW Integrated Stream Bank Protection Guidelines (WDFW, 2003) (an approved habitat management plan, and
- Any impacts to the functions or values of the aquatic fish and wildlife habitat conservation area are mitigated in accordance with a habitat management plan.
- 4. Timing restrictions.
 - a. Fish. In-water work alteration or development shall be timed to occur only during the allowable work window as designated by the Washington State Department Fish and Wildlife (WDFW) for the applicable species and aquatic fish and wildlife habitat conservation area type.
 - b. Wildlife. The City shall impose limitations on construction activities during breeding and/or nesting periods for priority species when necessary to protect the species and avoid adverse impacts. Appropriate timing restrictions for wildlife species shall be based upon best available science and WDFW recommendations.

XX.XX.050 Permitted Alterations and Development.

The following alterations and development may be permitted in fish and wildlife habitat conservation areas and/or their riparian management zones or buffers when all feasible measures have been taken to avoid and mitigate adverse effects on species and habitats and a net loss of habitat functions will not occur.

- Clearing and grading. When clearing and grading is permitted in a fish and wildlife habitat
 conservation area or its associated RMZ or buffer as part of an authorized alteration or
 development or as other allowed in these standards, the following shall apply:
 - a. Grading is allowed only during the dry season, as determined by the Designated Official:
 - Clearing and grading shall be limited to the minimum necessary to accomplish the alteration or development; and
 - Erosion and sediment control will meet or exceed the standards set forth in the current version of the Stormwater Manual for Eastern Washington.
- Stream bank stabilization. Stream bank stabilization and protection shall be permitted subject to all the following standards, and those standards described in WDFW's Integrated Streambank Protection Guidelines (WDFW, 2003), WDFW's 2012 Stream Habitat Restoration Guidelines (SHRG), and CEMC XX.XX.120.4:
 - Natural riverine processes, including channel migration, will be maintained to the maximum extent practicable;
 - b. The alteration or development will not result in increased erosion and will not alter the size or distribution of stream substrate;
 - c. Nonstructural measures, such as placing or relocating the development further from the aquatic habitat area, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient to protect the stream bank;
 - d. Stabilization is achieved through bioengineering or soft armoring techniques; and
 - e. Hard bank armoring may occur only when the property contains a primary, already existing, legally-established, permanent structure, which is unable to be relocated, that is in danger from erosion caused by riverine processes, as documented in a geotechnical analysis prepared by a qualified professional. The armoring shall not expand beyond the original structural footprint, unless necessary to protect existing permanent buildings, roads or utility infrastructure adjacent to the bank, and shall not increase erosion or flooding on adjacent properties.

- Docks and launching ramps. Construction, reconstruction, repair, and maintenance of docks and public or private launching ramps are subject to all the following, and those standards described in CEMC XX.XX.120.4:
 - a. The dock or ramp is located and oriented and constructed in a manner that
 minimizes adverse effects on water quality, movement of aquatic and terrestrial life,
 ecological processes, spawning habitat, and wetlands;
 - Docks and ramps shall meet or exceed all relevant state and federal permit requirements; and
 - c. No adverse impact to fish or wildlife habitat areas or associated wetlands will occur.
- 4. Roads, trails, bridges, and rights-of-way. Construction of trails, roadways, and bridges through or across streams, other fish and wildlife habitat conservation areas and/or their RMZs or buffers are subject to all the following, and those standards described in WDFW's Water Crossing Guidelines and CEMC XX.XX.120.4:
 - a. There is no other feasible alternative route with less impact on the fish and wildlife habitat conservation area:
 - b. The crossing minimizes interruption of downstream movement of wood, ice, sediment, and the movement of all fish and wildlife. Bridges are preferred for all stream crossings and should be designed to maintain the existing stream substrate and gradient, provide adequate horizontal clearance on each side of the ordinary high water mark, and provide adequate vertical clearance above the ordinary high water mark:
 - c. Roads within a stream buffer shall not run parallel to the water body when there is an alternative alignment that has less adverse effect on stream functions;
 - d. Trails shall be located on the outer edge of the fish and wildlife habitat conservation area buffer, except for limited viewing platforms and at the crossing, and shall use pervious materials where feasible;
 - e. Stream crossings, where necessary, shall be perpendicular with the stream, or as
 close to perpendicular as possible, and shall be the minimum width necessary.
 Common or shared crossings are the preferred approach where multiple properties
 can be accessed by one crossing; and
 - f. Culverts and bridges shall be designed according to applicable state and federal guidance criteria for fish passage as identified in Fish Passage Design at Road Culverts, WDFW, 2003, and/or the National Marine Fisheries Services Guidelines for Anadromous Salmonid Passage Facility Design, 2011, (and subsequent revisions) or WDFW's Water Crossing Design Guidelines (WDFW, 2013). The applicant or property owner shall maintain fish passage through the culvert.
- Utility facilities. New utility lines and facilities may cross streams or Fish and wildlife habitat conservation areas if they comply with the following standards, and those standards described in CEMC XX.XX.120.4:
 - There is no other feasible alternative route with less impact on the Fish and wildlife habitat conservation area;
 - Installation at a stream crossing shall be accomplished by boring beneath the scour depth and hyporheic zone of the stream and the entire channel migration zone width, where feasible;
 - c. Where boring under the channel is not feasible, the utilities shall cross at an angle of no less than sixty (60) degrees, but as close to ninety (90) degrees as possible, relative to the centerline of the channel;
 - d. Crossings shall be contained within the footprint of an existing road, bridge or utility crossing where possible;
 - The utility route shall avoid paralleling the stream or following a down-valley course near the channel; and

- The utility installation shall not increase or decrease the natural rate of channel migration.
- Instream structures. Instream structures shall only be allowed as part of a City-approved restoration project. The structure shall be designed to avoid modifying flows and water quality in ways that may adversely affect habitat conservation areas.
- 7. Stormwater conveyance and discharge facilities. Stormwater conveyance or discharge facilities such as dispersion trenches, level spreaders, and outfalls may be placed within the outer 25% of a standard fish and wildlife habitat conservation area buffer on a case-by-case basis when the Designated Official determines that all the following are met:
 - Due to topographic or other physical constraints, there are no feasible locations for these facilities outside the standard fish and wildlife habitat conservation buffer;
 - The discharge is located as far from the ordinary high water mark (OHWM) as possible and in a manner that minimizes disturbance of soils and vegetation;
 - The discharge outlet is located in the outer 25% of the standard buffer and is designed to prevent erosion and promote infiltration; and
 - d.—The discharge meets state water quality standards, including total maximum daily load (TMDL) standards as appropriate at the point of discharge.
- 8. Onsite sewage systems and wells.
 - a. New on-site sewage systems and/or individual wells may be placed within standard aquatic fish and wildlife habitat conservation area buffers only if:
 - i. There are no alternative locations outside of the buffer;
 - ii.It complies with all state and local regulations; and
- iii.The onsite sewage system and/or well is accessory to an approved residential structure, for which it is not feasible to connect to a public sanitary sewer system, and is subject to approval by the Designated Official on a case by case basis.
- b. Repairs to failing on-site sewage systems associated with an existing structure shall be accomplished by utilizing one of the following methods that result in the least impact: i.Connection to an available public sanitary sewer system;
- ii.Replacement with a new on-site sewage system located in a portion of the site that has already been disturbed by development and is located landward from the habitat area as far as possible, provided the proposed sewage system is in compliance with the City of Cle Elum Health Department; or
- iii.Repair to the existing on-site septic system.

XX.XX.060 Reporting.

- 1. When required. If a proposed development is located within or adjacent to a known or suspected fish and wildlife habitat conservation area, the Designated Official shall require the applicant to submit a habitat management plan prepared by a qualified professional, defined in CEMC XX.XX.620, which includes the information listed in this section. The requirement to provide a habitat management plan for fish and wildlife habitat conservation areas may be waived on a case by case basis if the Designated Official determines that there are no potential direct and/or indirect impacts on designated species or habitats that would result from the proposed development.
- Contents. When required by this chapter, habitat management plans for habitat conservation shall include the general critical areas report requirements, as described in CEMC XX.XX.080, in addition the following:
 - Identification of any state or federal endangered, threatened, sensitive, or candidate species that have a primary association with habitat on the project area;
 - Map showing the location of the ordinary high water mark and/or locations of fish and wildlife habitat conservation area(s) and their buffers in accordance with CEMC XX.XX.020;

Formatted: Font: Bold

Formatted: Indent: Left: 0.5", No bullets or numbering

Formatted: List Paragraph, Numbered + Level: 2 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.75" + Indent at: 1"

- The vegetative, faunal, topographic, and hydrologic characteristics of the fish and wildlife habitat conservation area;
- d. A discussion of any federal, state, or local special management recommendations, including Washington Department of Fish and Wildlife habitat management recommendations, that have been developed for species or habitat located on or adjacent to the project area;
- A detailed discussion of the direct and/or indirect potential impacts on the fish and wildlife habitat conservation area by the project. Such discussion shall include a discussion of the ongoing management practices that will protect habitat after the project site has been developed;
- f. The general mitigation plan requirements of CEMC XX.XX.080 as well as the fish and wildlife habitat conservation area mitigation requirements of CEMC XX.XX.070, if the alteration or development will result in unavoidable impacts to fish and wildlife habitat conservation areas; and
- g. Methods and measures to avoid, minimize and/or compensate for adverse impacts associated with the proposed development, including, but not limited to:
 - Prohibition or limitation of use, alteration, and development within the fish and wildlife habitat conservation area;
 - Retention of vegetation and/or re-vegetation of areas/habitats critically important to species;
 - iii. Special construction techniques;
 - iv. Implementation of erosion and sediment control measures;
 - v. Habitat restoration or enhancement (e.g., fish passage barrier removal);
 - vi. Seasonal restrictions on construction activities on the subject property;
 - vii. Clustering of alterations or development on the subject property; and
 - viii. Any other requirements and/or recommendations from federal, state, or local special management recommendations, including the Washington State Department of Fish and Wildlife's habitat management guidelines.

XX.XX.070 Mitigation Requirements.

- 1. General Mitigation Requirements. Mitigation for alteration or impacts to fish and wildlife habitat conservation areas shall achieve equivalent or greater biological functions and shall include mitigation for adverse impacts upstream and downstream of the development project site. Mitigation shall address each functional attribute affected by the alteration to achieve functional equivalency or improvement on a per function basis. Mitigation elements may include, but are not limited to: restoration of previously degraded areas and key habitat features; restoration of riparian vegetation communities to provide shade and large woody debris; addition of large woody debris; and installation of upland habitat features.
- Buffer for aquatic habitat conservation mitigation sites. Any aquatic fish and wildlife
 habitat conservation area that is created, restored, or enhanced as compensation for
 approved alterations shall be assigned the same buffer as would be required for the category
 of the original aquatic fish and wildlife habitat conservation area.
- 3. **Type of mitigation required.** In determining the extent and type of mitigation required, the Designated Official may consider all the following:
 - The ecological processes that affect and influence habitat structure and function within the watershed or sub-basin;
 - The individual and cumulative effects of the action upon the functions of the critical area and associated watershed;
 - Observed or predicted trends regarding the gains or losses of specific habitats or species in the watershed, in light of aggregated natural and human processes;
 - d. The likely success of the proposed mitigation measures;
 - e. Effects of the mitigation actions on neighboring properties; and

- f. Opportunities to implement restoration actions formally identified by any of the following plans (or equivalent plans): an adopted shoreline restoration plan; a watershed planning document prepared and adopted pursuant to Chapter 90.82 RCW; and/or a salmonid recovery plan or project that has been identified on the Salmon Recovery Board Habitat Project List or by the Washington State Department of Fish and Wildlife as essential for fish and wildlife habitat enhancement.
- 4. Timing. Where feasible, mitigation projects shall be completed prior to or concurrently with permitted and approved alterations and development that will disturb fish and wildlife habitat conservation areas. In all other cases, as approved by the Designated Official, mitigation shall be completed as quickly as possible following disturbance and, aside from monitoring requirements, shall be completed prior to use or occupancy of the alteration or development. Construction of mitigation projects shall be timed to reduce impacts to existing fish, wildlife and flora; provided, that the Designated Official may adjust the timing requirements to allow grading, planting, and other alterations to occur during the appropriate season(s).
- 5. Location. Compensatory mitigation shall be provided on-site or off-site in the location that will provide the greatest ecological benefit to the species and/or habitats affected and have the greatest likelihood of success. Mitigation shall occur as close to the impact site as possible, within the same sub-basin, and in a similar habitat type as the permitted alteration unless the applicant demonstrates to the satisfaction of the Designated Official through a watershed- or landscape-based analysis that mitigation within an alternative sub-basin of the same watershed would have greater ecological benefit.
- 6. Design. Mitigation projects involving in-water work including, but not limited to, stream relocation and installation of engineered large woody debris structures shall be professionally engineered and designed to ensure there are no adverse hydraulic effects on upstream or downstream properties, and shall comply with all applicable permits such as a hydraulic project approval (HPA) from the WA Department of Fish and Wildlife.

Chapter XX.XX FREQUENTLY FLOODED AREAS

Sections:

XX.XX.010	Purpose and Intent.
XX.XX.020	Classification.
XX.XX.030	Designation.
XX.XX.040	Protection Standards

XX.XX.010 Purpose and Intent.

It is the purpose of this chapter to reduce the risk to life, property damage, and public facilities that result from floods; mitigate flood hazards that may be exasperated by climate change; and to protect fish and wildlife habitat conservation areas that occur wholly or partially within frequently flooded areas. Based on historical observation and information collected by the Federal Emergency Management Agency (FEMA), the City endorses a cautious posture that limits construction within areas that are designated to be flood prone.

XX.XX.020 Classification.

- Classification. Classification of frequently flooded areas, according to the minimum guidelines, should include, at a minimum, the 100-year floodplain designations of FEMA and the National Flood Insurance Program (NFIP). The following are categories of frequently flooded areas established for the purpose of classification:
 - a. Floodways. The channel of the stream, plus any adjacent floodplain areas, that must be kept free of encroachment in order to ensure that the base flood be carried without substantial increases in flood heights.
 - Special Flood Hazard Areas. The areas adjoining the floodway which are subject to a one percent or greater change of flooding in any given year, as identified and determined by FEMA.
 - c. Floodplains. The floodway and special flood hazard areas.

XX.XX.030 Designation.

All city lands and waters which are currently identified within the 100-year floodplain in the FEMA publication entitled "Flood Insurance Study for Kittitas County, Washington and Incorporated Areas" dated September 24, 2021, and any amendments hereto, with accompanying flood insurance rate maps are designated a frequently flooded areas.

XX.XX.040 Protection Standards.

All new development within designated frequently flooded areas shall be in compliance with CEMC Chapter 15.24 – Flood Hazard Prevention.

Chapter XX.XX GEOLOGICALLY HAZARDOUS AREAS

Sections:	
	Dumana and latent
XX.XX.010	Purpose and Intent
XX.XX.020	Designation, Classification, and Mapping
XX.XX.030	General Protection Standards
XX.XX.040	Landslide Hazard Area Standards
XX.XX.050	Erosion Hazard Area Standards
XX.XX.060	Alluvial Fan Hazard Standards
XX.XX.070	Seismic Hazard Standards
XX.XX.080	Volcanic Hazard Areas
XX.XX.090	Mine Hazard Areas
XX.XX.100	Reporting

XX.XX.010 **Purpose and Intent**

The purpose of this Chapter is to protect human life and safety, prevent damage to structures and property, and minimize impacts to water quality and fish and wildlife caused by geologic hazards.

Designation, Classification, and Mapping XX.XX.020

- 1. **Designation**. Lands classified as landslide, erosion (including channel migration zones), alluvial fan, seismic, and mine hazard areas, are hereby designated as geologically hazardous areas.
- 2. Classification.
 - a. Potential Landslide Hazard Areas. Landslide hazard areas shall include areas potentially subject to landslides based on a combination of geologic, topographic, and hydrologic factors. They include any areas susceptible because of any combination of bedrock, soil, slope (gradient), slope aspect, structure, hydrology, or other factors. Potential landslide hazard areas include but are not limited to the following areas:
 - i. Areas of historic failures;
 - ii. Areas designated as quaternary slumps, earth-flows, mudflows, or landslides on maps published by the U.S. Geological Survey or Washington State Department of Natural Resources;
 - iii. Areas with all three (3) of the following characteristics:
 - 1. Slopes steeper than fifteen percent (15%);
 - 2. Hillsides intersecting geologic contacts with a relatively permeable sediment overlying a relatively impermeable sediment or bedrock;
 - 3. Springs or groundwater seepage;
 - iv. Areas that have shown movement and/or are underlain or covered by mass wastage debris;
 - v. Slopes that are parallel or sub-parallel to planes of weakness (which may include but not be limited to bedding planes, soft clay layers, joint systems, and fault planes) in subsurface materials;
 - vi. Slopes having gradients steeper than eighty percent (80%) subject to rock fall during seismic shaking;
 - vii. Areas that show evidence of, or are at risk from snow avalanches; and
 - viii. Any area with a slope of forty percent (40%) or steeper and with a vertical relief of ten (10) or more feet except areas composed of competent bedrock.

- A slope is delineated by establishing its toe and top and measured by averaging the inclination over at least ten (10) feet of vertical relief;
- ix. Potentially unstable slopes resulting from river erosion or undercutting;
- Areas that show past sloughing or calving of sediment or rocks resulting in a steep slope that is poorly vegetated;
- xi. Deep-seated landslide areas characterized by one or more of the following features: scalloped ridge crests at the top of the slope, crescent shaped depressions, head scarps, side scarps, ponds or sag areas on mid slopes, benches and scarps on mid slope areas, hummocky ground, linear fractures in the ground. These features may be evident in aerial images, topographic maps, LiDAR imagery or on the ground:
- xii. Areas below unstable slopes or that have been identified as landslide hazard areas that could be impacted by landslide run out; and
- xiii. Areas above or adjacent to unstable slopes that could be impacted if the landslide area expands.
- b. **Potential Erosion Hazard Areas.** Erosion hazard areas shall include areas containing soils that may experience significant erosion, including:
 - Soil areas identified by the Natural Resources Conservation Service as having "severe" or "very severe" erosion hazard.
 - ii. Slopes forty percent (40%) or steeper with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock.
 - Concave slope forms equal to or greater than fifteen percent (15%) with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock.
 - iv. Channel migration zones, which are defined as the areas along a river or stream within which the channel(s) can be reasonably predicted to migrate over time as a result of natural and normally occurring hydrological and related processes when considered with the characteristics of the river and its surroundings.
- c. Alluvial Fan Hazard Areas. Alluvial fan hazard areas shall include those areas on alluvial fans where debris flows, debris floods, or clear water floods have the potential to significantly damage or harm the health or welfare of the community. They include the area generally corresponding to the path of potential flooding, channel changes, sediment and debris deposition, or debris flow paths as determined by analysis of watershed hydrology and slope conditions, topography, valley bottom and channel conditions, potential for channel changes, and surface and subsurface geology.
 - i. If the approval authority determines that a proposed use along a Type S or F stream is within a historic channel migration zone, based on field conditions, historic information, LIDAR imagery or aerial photography, and the one-hundred-year channel migration hazard area has not been mapped, the approval authority shall require the applicant to determine if a one-hundred-year channel migration hazard area is present on the site and, if so, delineate its location and extent.
 - iii. The determination as to whether the one-hundred-year channel migration hazard area affects the subject property shall be based on the findings of a qualified professional proficient in fluvial geomorphology using a reliable methodology to determine channel migration accepted by the department (e.g., as described in the Washington Department of Natural Resources' Forest Practices Board Manual, Standard Methods for identifying Channel Migration Zones and Bankfull Channel Features, dated 8/2001, as amended; or in "A Framework for Delineating Channel Migration Zones," Washington Department of Ecology, 2003, as amended). Maps delineating the one-

hundred-year channel migration hazard area shall be of a scale and format specified by the department.

- d. **Seismic Hazard Areas.** Seismic hazard areas shall include areas subject to severe risk of damage as a result of earthquake induced ground shaking, slope failure, settlement, soil liquefaction, lateral spreading, or surface faulting.
- e. Volcanic Hazard Areas. Volcanic hazard areas shall include areas subject to pyroclastic flows, lava flows, debris avalanche, inundation by debris flows, mudflows, or related flooding resulting from volcanic activity. There are no active or dormant volcanoes located within City of Cle Elum; however, Mount Rainer and Mount St. Helens are relatively near. Hazards to City of Cle Elum residents from these volcanoes are likely limited to ash deposition.
- f. Mine Hazard Areas. Mine hazard areas shall include areas underlain by abandoned mine shafts, secondary passages between shaft tunnels, or air vents. Mine hazards include subsidence, which is the uneven downward movement of the ground surface caused by underground workings caving in; contamination to ground and surface water from tailings and underground workings; concentrations of lethal or noxious gases; and underground fires.
- 3. Mapping. The approximate location and extent of geologically hazardous areas are shown on maps maintained by the City. These maps are useful as a guide for project applicants and/or property owners but do not provide a conclusive or definitive indication of geologically hazardous area presence or extent. Other geologically hazardous areas may exist that do not appear on the maps, and some geologically hazardous areas that appear on the maps may not meet the geologically hazardous areas designation criteria. The City shall update the maps periodically as new information becomes available and may require additional studies during the development review process to supplement and/or confirm the mapping. Historic maps showing the locations of known coal mines within the City are available from the Washington Department of Natural Resources.

XX.XX.030 General Protection Standards

- 1. Generally. New developments shall be located and/or engineered and constructed to minimize risk to health and safety, protect the building and occupants from the hazard, and not increase the risk of landslides or erosion that could impact either other properties, public resources, or other critical areas such as wetlands and fish and wildlife habitat conservation areas. If impacts to other properties, public resources or other critical areas cannot be avoided these impacts should be mitigated for. The Designated Official may impose conditions on alterations and development in a geologically hazardous area as needed to:
 - a. Protect slope stability and minimize erosion, seismic, and/or landslide hazard risks;
 - Maintain natural sediment and erosion processes that are integral to the health and sustainability of freshwater ecosystems as well as minimizing impacts to stream and river processes such as channel infill, channel migration or flooding;
 - Minimize the potential for property damage related to seismic events, erosion and/or landslides;
 - d. Minimize the need for stream or river bank stabilization in the future;
 - e. Protect human health and safety; and
 - Reduce public liabilities for damages associated with seismic events, erosion and/or landslides
- 2. Impact Avoidance. Impact avoidance measures shall include, but not be limited to, locating the use/development outside of the hazard area, reducing the number, size or scale of buildings, driveways and other features; altering the configuration or layout of the proposed development; using environmentally favorable construction materials; implementing special engineering methods for construction, drainage, runoff management etc.; foregoing construction of accessory structures; preserving native vegetation; and other reasonable measures.

- Location of Alterations. New development shall be directed toward portions of a parcel or parcels under contiguous ownership that are not subject to, or at risk from, geological hazards and/or are outside any setback or buffer established by this Chapter.
- 4. **Critical Facilities Prohibited**. Critical facilities shall not be sited within landslide, erosion, alluvial fan, or mine hazard areas unless there is no other practical alternative.
- 5. Review by Qualified Professional. A qualified geologist or engineering geologist, or professional engineer licensed in the state of Washington, shall review development projects that occur in potentially geologically hazardous areas to determine the risk. If development takes place within an identified geologically hazardous area requiring design or structural elements to mitigate the hazard, a report describing the geologically hazardous area and conditions shall be prepared as described in CEMC XX.XX.100, and the design shall be approved by an qualified engineering geologist, or professional engineer licensed in State of Washington with expertise in geologically hazard mitigation.
- 6. Life of Structure. Proposed developments shall be sited far enough from erosion and landslide hazard areas to ensure at least one hundred (100) years of useful life for the proposed structure(s) or infrastructure. The location should be determined by a qualified geologist or engineering geologist, licensed in the state of Washington and be should be based on site specific evaluation of the landslide and/or erosion hazard.

XX.XX.040 Landslide Hazard Area Standards

- 1. Generally. Alterations and development may be allowed adjacent to landslide hazard areas, provided that all responsible measures have been taken to minimize risks and other adverse effects, and the amount and degree of the alteration are limited to minimum needed to accomplish the project purpose. Prior to approving a new alteration or development in or adjacent to a landslide hazard area the Designated Official shall determine that all the following standards are met:
 - a. A minimum setback equal to the height of the slope or 40 feet, whichever is greater or as recommended in an approved geotechnical report;
 - The alteration or development includes all appropriate measures to eliminate, reduce, or otherwise mitigate risks to health and safety:
 - c. The alteration or development is located outside of a landslide hazard area and any required setback, as determined by a qualified engineer, engineering geologist, or geologist, licensed in the state of Washington;
 - d. The alteration or development will not decrease slope stability on adjacent properties;
 - The alteration or development shall not increase the risk or frequency of landslide occurrences:
 - f. The removal and disturbance of vegetation, clearing, or grading shall be limited to the area of the approved alteration or development;
 - g. The alteration or development will not increase surface water discharge or sedimentation to adjacent properties beyond predevelopment conditions;
 - h. The proposed alterations will not adversely impact other critical areas; and
 - Structures and improvements including drainage and vegetation management are designed to have no impact on the slope stability; and
 - j. If development takes place within an identified geologically hazardous area, the development must be designed to fully mitigate the risk to the structure(s) and not increase the risk to the public, other properties or public infrastructure or resources.
- 2. Permitted Alterations and Development. The following alterations and development may be allowed in landslide hazard areas when all reasonable measures have been taken to minimize risks and other adverse effects associated with landslide hazards, and when the amount and degree of alteration is limited to the minimum needed to accomplish the alteration or development:

- a. Above-Ground Utility Lines and Pipes. Utility lines and pipes that are above-ground, properly anchored and/or designed so that they will not increase the risk or consequences of static or seismic slope instability or result in an increased risk of mass wasting. Such utility lines may be permitted only when the applicant demonstrates that no other feasible alternative is available to serve the affected population. For pipelines, automatic shut off valves should be located as close as practical to the landslide area so that the release from the pipe upon breakage is minimized.
- b. Access Roads and Trails. Access roads and trails that are engineered and built to standards that avoid the need for major repair or reconstruction beyond that which would be required in non-hazard areas. Access roads and trails may be permitted only if the applicant demonstrates that no other feasible alternative route exists. Standards to minimize impacts may be specified by the Designated Official.
- c. Stormwater Conveyance. Stormwater conveyance through a properly designed stormwater pipe when no other stormwater conveyance alternative is available. The pipe shall be located above-ground and be properly anchored and/or designed so that it will continue to function in the event of a slope failure or movement of the underlying materials and will not increase the risk or consequences of static or seismic slope instability or result in increased risk of mass wasting activity.
- 3. **Setbacks**. The Designated Official shall require setbacks from the edges of any landslide hazard area in accordance with the following:
 - a. The size of the setbacks shall be based on the findings of a qualified engineering geologist or geologist, licensed in the state of Washington, and shall protect critical areas and minimize the risk of property damage, death, or injury resulting from landslides caused in whole or part by the alteration or development and shall be sized to provide protection for a period of at least 100 years based on the assessment of the geologic processes within the landslide hazard area;
 - b. The setback above the landslide hazard area shall include consideration of hydrologic contribution to the landslide area and/or the area subject to the potential for mass movement, and the setback down slope from the landslide hazard area shall include consideration of landslide run out; and
 - c. The Designated Official shall have the authority to require appropriate management of vegetation or land use within the setback area to minimize the risk of increasing the risk of landslides.

XX.XX.050 Erosion Hazard Area Standards

- 1. Generally. Alterations or development may be allowed within erosion hazard areas, provided that all responsible measures have been taken to minimize risks and other adverse effects with erosion hazards, and the amount and degree of the alteration are limited to minimum needed to accomplish the project purpose. Prior to approving a development or alteration in or adjacent to an erosion hazard area, a report will be prepared as defined in CEMC XX.XX.100. Based on this information, the Designated Official shall determine whether all the following standards are met.
 - The alteration or development includes all appropriate measures to eliminate or otherwise mitigate risks to health and safety;
 - The alteration or development includes best management practices to prevent, control and minimize erosion;
 - c. The alteration or development will not increase erosion potential;
 - d. The removal and disturbance of vegetation, clearing, or grading shall be limited to the area of the approved alteration or development;
 - The alteration or development will not increase surface water discharge or sedimentation to adjacent properties beyond predevelopment conditions, as

- documented in a geologically hazardous area risk assessment and/or geotechnical report:
- f. The proposed alterations will not adversely impact other critical areas; and
- g. Structures and improvements are designed to minimize alterations to the erosive soils and slopes.
- Channel Migration Zones. If City maps or consultation by the Designated Official with qualified professionals or agencies with expertise indicate that a potential channel migration zone hazard exists on or adjacent to a proposed development site, the applicant shall either:
 - a. Locate the proposed development outside of an already defined channel migration hazard area as indicated on the map; or
 - b. Submit a Channel Migration Zone Report, as described in CEMC XX.XX.100 prepared by a qualified geologist, or engineering geologist, or professional engineer, licensed in the state of Washington with experience in analyzing channel response in the fluvial systems of the Pacific Northwest.
- 3. Permitted Alterations and Development in Channel Migration Zones. The following alterations and development shall be allowed as specified below and previous sections:
 - a. Surface Water Discharge. Discharge of surface water, provided there are no other alternatives for discharge. The pipe shall be located on the surface of the ground and be properly anchored so that it will continue to function under erosion conditions and not create or contribute to adverse effects on downstream critical areas.
 - b. Utility Lines. Utility lines, when no feasible location is available. Above-ground lines shall be anchored and/or designed so that it will not preclude or interfere with channel migration. Below ground lines shall be of sufficient depth as to not be affected by future channel migration.
 - c. Public Roads, Bridges, and Trails. Public roads, bridges, and trails when no feasible alternative alignment is available. Facilities shall be designed such that the roadway prism and/or bridge structure will not be susceptible to damage from active erosion.
 - Stream Bank Stabilization. Stream bank stabilization may be permitted subject to all of the standards listed in CEMC XX.XX.050.
- 4. CMZ Buffers or Setbacks. Based upon the results of the channel migration zone assessment, the Designated Official shall prohibit or limit use or development within a channel migration zone and may require a setback or a buffer of undisturbed natural vegetation from the edge of the channel migration zone in accordance with the following:
 - a. The size of the setback or buffer shall be based on the findings of a qualified engineer, engineering geologist, or geologist, licensed in the state of Washington, and shall protect critical areas and processes and minimize the risk of property damage, death, or injury resulting from channel migration;
 - b. The buffer shall include the area subject to bank failure as a result of erosion; and
 - c. If the designated buffer lacks adequate woody vegetation, the Designated Official shall have the authority to require vegetation enhancement or other measures to improve natural channel processes and large wood recruitment.

XX.XX.060 Alluvial Fan Hazard Standards

- 1. Permitted Alteration and Development. Alluvial fan hazards will be determined by City maps, LIDAR, and aerial photography. The following alterations and development may be allowed in alluvial fan hazard areas, after accounting for restrictions defined by other critical area regulations, when all reasonable measures have been taken to minimize risks and other adverse effects associated with alluvial fan hazards, and when the amount and degree of alteration are limited to the minimum needed to accomplish the alteration or development:
 - Roads, Utilities, Bridges, and Other Infrastructure. Roads, utilities, bridges, and other infrastructure when located and designed to prevent adverse impacts on critical

- areas and avoid the need for channel dredging or diking or other maintenance activities that have the potential to substantially degrade river and stream functions.
- b. Residential and Commercial Developments. Permanent residential structures and commercial developments shall be allowed in alluvial fan hazard areas only if the alluvial fan has undergone a City-approved study to assess potential hazards, determine risks, and identify mitigation measures and is deemed suitable for development. The Designated Official shall make this determination based on a detailed assessment by a qualified engineer, engineering geologist, or geologist, licensed in the state of Washington, that identifies the risks associated with a 500-year return period debris flow or the maximum credible event that could impact the alluvial fan.
- Accessory Structures. Accessory structures not involving human occupancy shall be allowed.

XX.XX.070 Seismic Hazard Standards

Permitted Alterations and Development. Alterations and development within seismic
hazard areas shall follow the provisions of the City of Cle Elum-adopted version of the
Uniform Building Code. Alterations and development within seismic hazard areas shall not
require the submission of a geologically hazardous area risk assessment or geotechnical
report.

XX.XX.080 Volcanic Hazard Areas

 Permitted Alterations and Development. Because volcanic hazards in City of Cle Elum are limited to ash deposition, alterations and development located only within volcanic hazard areas, and not other geologically hazardous areas, shall not require the submission of a geologically hazardous area risk assessment or geotechnical report.

XX.XX.090 Mine Hazard Areas

 Alteration. There are no additional protection standards for mine hazard areas; the standards of CEMC XX.XX.030 shall apply.

XX.XX.100 Reporting

1. Geologically Hazardous Area Risk Assessment . If a proposed development is located within or adjacent to a known or suspected landslide, mine, alluvial fan, or erosion hazard area, the applicant shall submit a Geologically Hazardous Area Risk Assessment prepared by a qualified professional geologist or engineering geologist. No further analysis shall be required if the Geologically Hazardous Area Risk Assessment concludes that the alteration or development is not at risk from potential geologic hazards, and that there is no geologic hazard present on or adjacent to the site.

If the Geologically Hazardous Area Risk Assessment and/or the Designated Official concludes that a geologically hazardous area is located on or adjacent to the alteration or development and/or the alteration or development is at risk from potential geologic hazards, the applicant shall submit a Geotechnical Report consistent with the provisions of CEMC XX.XX.370, andprepared by a qualified engineer or engineering geologist.

- Geologically Hazardous Area Risk Assessment Contents. When required by this
 Chapter, Geologically Hazardous Area Risk Assessments shall include the general critical
 areas report requirements of CEMC XX.XX.080 in addition to the following:
 - a. A description of the geology of the site and the proposed development;
 - b. An assessment of the potential impact the project may have on the geologic hazard;
 - An assessment of what potential impact the geologic hazard may have on the project;
 - d. Appropriate mitigation measures, if any;
 - e. A conclusion as to whether further analysis is necessary; and

- f. The signature and stamp of the engineering geologist, or geologist that prepared the assessment
- Geotechnical Report Contents. When required by this Title, the Geotechnical Report shall
 include the general critical areas report requirements of CEMC XX.XX.080 in addition to the
 following:
 - a. A detailed description of the geology and soil conditions of the site;
 - b. Evaluation of the geologic conditions giving rise to the geologic hazard;
 - c. An evaluation of the safety of the proposed project;
 - d. Conclusion and recommendations regarding the effect of geologic conditions on the proposed development;
 - e. Conclusions and recommendations on the suitability of the site to be developed;
 - f. A statement regarding the risk of damage from the project, both on- and off-site; and whether or not the project will materially increase the risk of occurrence of the hazard:
 - Recommendations concerning drainage practices, vegetation retention and other mitigation and monitoring measures which may be needed to ensure slope stability;
 - h. Recommended erosion and sediment control measures;
 - i. A bibliography of scientific citations;
 - j. Any other specific measures which must be incorporated into the design and operational plan of the project to eliminate or reduce the risk of damage due to the hazard. This shall include a recommendation on the required buffer or setback distance that must be maintained between the proposed development and the hazard to ensure the safety of the development; and The signature and stamp of the engineer or engineering geologist who prepared the Geotechnical Report.
- 4. Channel Migration Zones Studies Contents

When required by this Chapter, Channel Migration Zone Studies shall include the general critical areas report requirements of CEMC XX.XX.080, and shall demonstrate the following:

- a. The parcel on which the development is proposed is effectively protected (disconnected) from channel movement due to the existence of permanent levees that are actively maintained by public agencies or infrastructure such as roads and bridges constructed and maintained by public agencies (not all roads and levees will be considered disconnection points): or
- b. The proposed development site has minimal risk of channel migration during the next one hundred (100) years as indicated by the existing channel type, land cover (and low likelihood of future alterations in land cover), presence of adjacent toe slope landslide hazard areas, surficial geology, low soil erosion potential, lack of evidence of likely avulsion pathways (including areas upstream of, but proximate to, the site), and/or low inundation frequency(ies). The assessment shall include a review of available data regarding historical channel locations at the site; identification of the site within a broader geomorphic reach of the river system and the general characteristics of that reach; description of existing channel type, existing channel alteration and likelihood of future alterations with changes in land cover; surficial geology, soils and erosion potential; and geotechnical setbacks relating to erosion at the toe of adjacent slope(s). The approach to assessing location shall be generally equivalent to the methods detailed in "A framework for Delineating Channel Migration Zones" (Ecology Publication # 03-06-027), or similar method approved or sanctioned by Ecology.

Chapter XX.XX WETLANDS

Sections:

XX.XX.010	Purpose and Intent
	•
XX.XX.020	Designation, Mapping, Delineation, and Categorization
XX.XX.030	Buffers
XX.XX.040	General Protection Standards
XX.XX.050	Permitted Alterations and Development
XX.XX.060	Reporting
XX XX 070	Mitigation Requirements

XX.XX.010 Purpose and Intent

The purpose of this Chapter is to maintain the biological and physical functions and values of wetlands with respect to groundwater recharge and discharge, water quality, stormwater and floodwater retention, storage and conveyance, fish and wildlife habitat conservation areas, recreation, and education.

XX.XX.020 Designation, Mapping, Delineation, and Categorization

- 1. Designation. Wetlands are those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include, but are not limited to, swamps, marshes, bogs, ponds, and similar areas. Wetlands do not include those artificial wetlands intentionally created from non-wetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from non-wetland areas to mitigate the conversion of wetlands.
- 2. Mapping. The approximate location and extent of wetlands are shown on maps maintained by the City, most current National Wetland Inventory (NWI), and other best available science sources. These maps are useful as a guide for project applicants and/or property owners but do not provide a conclusive or definitive indication of wetland presence or extent. Other wetlands may exist that do not appear on the maps, and some wetland areas that appear on the maps may not meet all of the wetland designation criteria. The City shall update the maps periodically as new wetland areas are identified and as new wetland information becomes available.
- 3. Delineation. The City may require the applicant to identify the location or presence of any wetlands within two hundred fifty (250) feet of a proposed development. Wetlands shall be identified and delineated by a qualified wetland professional in accordance with the approved federal wetland delineation manual and applicable regional supplements. This professional shall field stake, flag or otherwise mark the wetland boundary to aid the City in reviewing the development proposal. The City may require the on-site wetland boundary to be surveyed by a professional land surveyor. Wetlands that occur outside of or extend beyond the boundaries of the development site, onto adjoining properties, do not need to be flagged or formally delineated but their general location must be determined and disclosed in order to assess wetland buffer impacts.
- 4. Categorization. Wetlands shall be categorized by a qualified wetland professional in accordance with the current version of the Washington State Wetland Rating System for Eastern Washington and the appropriate rating forms approved by the Washington State Department of Ecology. These categories are generally defined as follows:

- a. Category I wetlands are those that represent a unique or rare wetland type, are more sensitive to disturbance than most wetlands, are relatively undisturbed and contain ecological attributes that are impossible to replace within a human lifetime or provide a high level of functions. Category I wetlands include:
 - i. Alkali wetlands;
 - Wetlands with high conservation value that are identified by scientists of the Washington Department of Natural Resources Natural Heritage Program;
 - iii. Bogs and calcareous fens;
 - iv. Mature and old-growth forested wetlands over ¼ acre with slow-growing trees:
 - v. Forests with stands of aspen, and
 - vi. Wetlands scoring between twenty-two and twenty-seven (22-27) points in the Eastern Washington Rating System.
- b. Category II wetlands are difficult, though not impossible, to replace, and provide high levels of some functions. These wetlands occur more commonly than Category I wetlands, but still need a relatively high level of protection. Category II wetlands include:
 - i. Forested wetlands in the floodplains of rivers;
 - ii. Mature and old-growth forested wetlands over ¼ acre with fast-growing trees;
 - iii. Vernal pools: and
 - Wetlands scoring between nineteen and twenty-one (19-21) points in the Eastern Washington Rating System.
- c. Category III wetlands have a moderate level of functions and score between sixteen and eighteen (16-18) points in the Eastern Washington Rating System. These wetlands can be often adequately replaced with a well-planned mitigation project. Category III wetlands generally have been disturbed in some ways, and are often less diverse or more isolated from other natural resources in the landscape than Category II wetlands.
- d. Category IV wetlands have the lowest level of functions and are often heavily disturbed. They score fewer than sixteen (16) points in the Eastern Washington Rating System. These are wetlands that can usually be replaced, and in some cases improved. However, experience has shown that replacement cannot be guaranteed in any specific case. These wetlands may provide some important functions and also need to be protected.

XX.XX.030 Buffers

- Purpose. Buffers shall be established and maintained to protect the functions and values of regulated wetlands.
- Measurement. Wetland buffers shall be measured horizontally in all directions from the
 outer edge of wetland boundary as established in the field. Building setbacks (CEMC
 XX.XX.090.4) are in addition to wetland buffers and are measured outward from the edge of
 the wetland buffer boundary.
- 3. **Buffer Condition**. Wetland buffers shall be maintained in a predominantly well-vegetated and undisturbed condition to ensure that they perform their intended function of protecting the wetland. Tree removal is prohibited in wetlands and wetland buffers other than in accordance with CEMC XX.XX.050.3.h.
- 4. Standard Buffer Widths. The width of the standard buffer does not include the building setback (CEMC XX.XX.090.4) and shall be based on the wetland category and the intensity of the proposed land use adjacent to the buffer as indicated in Table CEMC XX.XX.030.

Table XX.XX.030: Standard Buffer Widths

Category of Wetland	Land Use with Low Impact ¹	Land Use with Moderate Impact ²	Land Use with High Impact ³
I	<u>75</u> 125 ft	1 90 ft	<u>150</u> 250 ft
II	<u>75</u> 100 ft	150 - <u>100</u> ft	200 - <u>125</u> ft
III	75 - <u>60</u> ft	110 ft 90 ft	150 ft 100
IV	25 ft 40 ft	40 ft	50 ft 40 ft

- ¹Low impact use and developments include: forestry (cutting of trees only), low intensity open space (hiking, bird-watching, and like uses), unpaved trails, and utility corridor without a maintenance road and little or no vegetation management.
- ²Moderate impact use and developments include: residential (1 unit/acre or less), moderate intensity open space (parks with biking, jogging, and like uses), conversion from non-agricultural lands to moderate intensity agriculture (orchard, hay fields, and like uses), paved trails, building of logging roads, and utility corridor or right-of-way shared by several utilities and including access/maintenance roads.
- ³ High impact use and developments include: commercial, urban, industrial, institutional, retail sales, residential (more than 1 unit/acre), conversion from non-agricultural lands to high intensity agriculture (dairies, animal feed lots, nurseries and green houses, and like uses), high intensity recreation (golf courses, ball fields, and like uses).
- Wetland buffer condition. Wetland buffer areas shall be retained in a natural condition or may be improved to enhance buffer functions and values. Where buffer disturbance is allowed pursuant to this Title, re-vegetation with native vegetation shall be required. The City of Cle Elum noxious weed ordinance shall be adhered to. Alterations of the buffer that are inconsistent with this Title shall be prohibited.
- 6. **Multiple buffers**. In the event that buffers for any shorelines and/or critical areas are contiguous or overlapping, the landward-most edge of all such buffers shall apply.
- 7. Interrupted buffer. When a wetland buffer contains an existing legally established public or private road and/or a legally established development which creates a significant interruption of buffer function, the Administrator may allow development on the landward side of the road or development provided that the actions will not have a detrimental impact to the wetland. The applicant may be required to provide a wetland critical areas report to describe the potential impacts. In determining whether a critical areas report is necessary, the City shall consider the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption.
- 8. **Buffers of restored wetlands**. The buffer for a wetland created, restored, or enhanced as compensation for approved wetland alterations shall be the same as the buffer required for the category of the created, restored, or enhanced wetland.
- 9. Increased Buffers. The Designated Official shall increase the wetland buffers widths where the standard buffer is inadequate to prevent significant adverse environmental impacts or address hazards associated with the site or the proposed development. The Designated Official may increase the buffer up to a maximum of two times the standard width. When determining how much to increase the standard buffer, the Designated Official shall consider the following conditions:
 - Whether the wetland provides habitat for state priority or federally listed endangered, threatened, or sensitive species for which a habitat management plan indicates a larger buffer is necessary to protect habitat values for such species: or
 - Whether the land adjacent to the wetland is susceptible to severe erosion, and erosion control best management practices will not effectively prevent adverse wetland impacts.
- 11. **Buffer Averaging.** The Designated Official may allow averaging of the standard buffer widths in accordance with an approved critical areas report on a case-by-case basis. With

buffer averaging, the buffer width is reduced in one location and increased in another location to maintain the same overall buffer area. In such cases, the minimum width of the buffer at any given point shall be at least seventy-five percent (75%) of the standard width, or twenty-five (25) feet, whichever is greater. Proposals for buffer averaging shall meet all the following:

- a. The wetland buffer has not been averaged or reduced by any prior actions;
- b. No feasible site design could be accomplished without buffer averaging;
- c. The wetland contains variations in sensitivity due to existing physical characteristics or the character of the buffer varies in slope, soils, or vegetation, and the wetland would benefit from a wider buffer in places and would not be adversely impacted by a narrower buffer in other places:
- d. The averaging will not have a significant adverse impact on wetland functions and values; and
- The area that is added to the buffer to offset the reduction will be well-vegetated.
 The Designated Official may require vegetation enhancement if needed to ensure this criterion is met.
- 12. Mitigation for Buffer Averaging. Prior to approving a request for wetland buffer averaging, the Designated Official shall ensure the development is designed to separate and screen the wetland from impacts such as noise, glare, vegetation trampling, intrusion, etc to the degree feasible. The site design shall consider the varying degrees of impacts of different land uses. For example, parking lots, store entrances, and roads generally have higher noise and glare impacts than the rear of a store. Site screening should take advantage of natural topography or existing vegetation, wherever possible. Where natural screening is not available, berms, landscaping, and structural screens should be implemented as may be required by the Designated Official (e.g., orient buildings to screen parking lots and store entrances from critical areas).
- 13. **Allowed Buffer Uses.** The Designated Official may allow the following alterations and development within a wetland buffer provided that they are conducted in a manner so as to minimize impacts to the buffer and adjacent wetland, including wetland functions and values:
 - a. Conservation or restoration activities aimed at protecting or enhancing the soil, water, vegetation, or wildlife.
 - The following passive recreation facilities designed in accordance with an approved critical areas report:
 - i. Walkways and trails; provided that those pathways which are generally parallel to the perimeter of the wetland shall be located in the outer twentyfive percent (25%) of the buffer area and constructed with a surface that is not impervious to water. Raised boardwalks utilizing non-treated pilings may be acceptable; and
 - ii. Wildlife viewing structures less than five hundred (500) square feet in size, including hunting blinds.
 - c. Stormwater management facilities, limited to stormwater conveyance and dispersion facilities, outfalls and bioswales, may be allowed within the outer twenty-five percent (25%) of the buffer of wetlands in accordance with an approved critical areas report provided that:
 - i. No other location is feasible;
 - ii. The facility is designed to meet or exceed the standards set forth in the current version of the Stormwater Manual for Eastern Washington; and
 - The location of such facility will not degrade the functions or values of the wetland.

XX.XX.040 General Protection Standards

Alterations. New development shall be located outside of wetlands and their buffers, unless
this Title specifically allows the development to occur in the wetland or buffer. A wetland or

buffer may not be altered if the proposed alteration will result in a net loss of wetland functions and values. Developments shall be designed to avoid and minimize wetland and buffer impacts to the maximum extent practicable and to offset unavoidable impacts through compensatory mitigation as required in CEMC XX.XX.070

XX.XX.050 Alterations and Development Permitted without a Critical Areas Report

The following alterations and development are permitted in wetlands and/or buffers and do not require submission of a critical areas report, provided they are have met requirements listed in CEMC XX.XX.120.4 and are designed to avoid and minimize wetland and buffer impacts to the maximum extent practicable, but are subject to review by the Designated Official:

- Conservation and Preservation Activities. Conservation or preservation of soil, water, vegetation, fish, and other wildlife that does not entail permanently changing or altering the structure or functions of the existing wetland.
- 2. Wetland Enhancement. Enhancement of a wetland through the removal of non-native invasive species, provided that the weed removal does not require soil excavation or grading and provided that weed material is removed from the site and disposed of at an approved location. Bare areas that remain after weed removal shall be re-vegetated with native shrubs, trees and herbs/forbs native to City of Cle Elum.

XX.XX.060 Reporting

- When Required. If a proposed development is located within or adjacent to a known or suspected wetland, the Designated Official shall require the applicant to submit a wetland critical areas report prepared by a qualified professional that includes the information listed in this Section.
 - a. The requirement to provide a wetland critical areas report may be waived for a single-family residence where no encroachment into a regulated wetland or its standard buffer will occur. Prior to issuance of a building permit, site development permit, or on-site sewage system permit, the applicant shall submit a single-family wetland certification form completed by a wetland specialist that certifies either:
 - i. No regulated wetlands are present within 250 feet of the project area; or
 - ii. Wetlands are present within 250 feet of the project area, but all regulated alterations and development associated with the dwelling (i.e., landscaped areas, septic facilities, outbuildings, etc.) will occur outside of the standard buffer of the identified wetland.
 - If regulated wetland buffers extend onto the site and are within 250
 feet of the project area, the wetland specialist shall place permanent,
 clearly visible, wetland buffer signs at the edge of the buffer. A
 wetland buffer sign affidavit, signed by the wetland specialist, shall be
 submitted to the Department as verification that the wetland buffer
 signs have been placed on the site.
 - 2. The single-family certification form may be used only to authorize single-family dwellings and associated homesite features such as garages, driveways, gardens, fences, wells, lawns, and on-site septic systems. It may not be used for new agricultural activities, expansion of existing agricultural activities, forest practice activities, commercial projects, land divisions, buffer width modifications, or violations. The single-family form may not be used to make a claim for exemption.
 - The single-family certification process will be monitored by the Department for accuracy, and enforcement actions will be initiated should encroachment into a regulated wetland or buffer occur.

- The applicant/property owner assumes responsibility for any and all errors of the single-family certification form and all associated mitigation imposed by the Department.
- Single-family certification forms shall be filed with the City of Cle Elum Auditor's Office in accordance with the department standards.
- Contents. When required by this Title, wetland critical areas reports shall include the general critical areas report requirements of CEMC XX.XX.080 in addition to the following:
 - Map showing the location of all wetlands and required buffers within two hundred fifty (250) feet of the proposed development; and
 - An analysis of the onsite wetland(s) including the following site- and proposal-related information:
 - i. Historical and Existing On site and Surrounding Land use /Conditions
 - ii. Wetland acreage;
 - iii. Wetland category;
 - iv. Soils and Soil Attributes
 - v. Hydrogeomorphic position (HGM);
 - vi. Cowardin Classification and Upland/Wetland Vegetation Characterization
 - vii. Hydroperiods;
 - viii. A description of the Federal methodologies used to conduct the wetland delineations;
 - ix. Priority Habitats and Species;
 - x. Wetland delineation data sheets for the appropriate region;
 - xi. Wetland rating and forms;
 - xii. Wetland Functional Analysis;
 - xiii. Federal, State, and City Regulatory Discussion with buffer recommendations;
 - xiv. A detailed discussion of the project, direct and/or indirect potential impacts on the wetland by the project; and if impacts are expected:
 - A discussion of measures, including the general mitigation sequence requirements of CEMC XX.XX.100 proposed to preserve and protect existing wetlands;
 - xvi. A wetland mitigation plan meeting the requirements of CEMC XX.XX.010, if the alteration or development will result in unavoidable impacts to wetlands or their buffers.

XX.XX.070 Mitigation Requirements

- Generally. Compensatory mitigation is required for all unavoidable alterations to wetland or their buffers, except for buffer averaging when done in accordance with CEMC XX.XX.030.7. Compensatory mitigation actions shall replace functions affected by the alteration and shall provide equal or greater functions compared to the impacted wetland.
- Buffer for Wetland Mitigation Sites. Any wetland area that is created, restored, or enhanced as compensation for approved alterations shall be the same as the buffer required for the category of the created, restored, or enhanced wetland.
- 3. Mitigation Timing. Mitigation projects shall be completed prior to or concurrently with permitted alterations and development that will disturb wetlands. In all other cases, mitigation shall be completed immediately following disturbance and prior to use or occupancy of the alteration or development. Construction of mitigation projects shall be timed to reduce impacts to existing fisheries, wildlife, and flora.
- 4. Delay in Mitigation. The Designated Official may authorize a one-time temporary delay, up to one hundred eighty (180) days, in completing minor construction and landscaping when environmental conditions could produce a high probability of failure or significant construction

difficulties. The delay shall not create or perpetuate hazardous conditions or environmental damage or degradation, and the delay shall not be injurious to the health, safety, and general welfare of the public. The request for the temporary delay must include a written justification that documents the environmental constraints which preclude implementation of the mitigation plan. The justification must be verified and approved by the City and include a financial guarantee.

- Preference of Mitigation Actions. Compensatory wetland mitigation shall occur in the following order of preference:
 - a. Purchasing credits from an approved Mitigation Bank if available and feasible, Purchasing credits from an approved In-Lieu Fee program if available and feasible, and Permittee Responsible Mitigation (PRM).
 - b. In order of preference, the following PRM methods are available: (1) Restoration [reestablishment or rehabilitation], (2) Establishment [creation], (3) Preservation of existing high quality habitats, and (4) Enhancement of degraded wetlands..
- 6. Replacement Ratios for Wetland Impacts. The first number specifies the acreage of replacement wetlands, and the second specifies the acreage of wetlands altered. Compensatory mitigation shall restore, rehabilitate, create, or enhance equivalent or greater wetland functions. The ratios shall apply to mitigation that is in-kind, is on-site, is the same category, is timed prior to or concurrent with alteration, and has a high probability of success. The Designated Official may increase these ratios for remedial mitigation actions resulting from unauthorized wetland alterations, depending on the nature and extent of the alteration. These ratios do not apply to the use of credits from a certified wetland mitigation bank or inlieu fee program. When credits from a certified bank or in-lieu fee program are used, replacement ratios should be consistent with the requirements of the bank's/program's certification.

Table XX.XX.070.6: Wetland Mitigation Ratios

Category and Type of Impacted Wetland	Restoration or Creation ^{1,2}	Rehabilitation ^{1,2}	Enhancement Only ^{1,3}
Category I, forested	6:1	12:1	24:1
Category I, non- forested	4:1	8:1	16:1
Category II, forested	4:1	8:1	16:1
Category II, vernal pool ⁴	2:1	4:1	Case-by-case
All other Category II	3:1	6:1	12:1
All Category III	2:1	4:1	8:1
All Category IV	1.5:1	3:1	6:1

- ¹ Natural heritage sites, alkali wetlands, and bogs are considered irreplaceable wetlands because they perform special functions that cannot be replaced through compensatory mitigation. Impact to such wetlands would therefore result in a net loss of some functions no matter what kind of mitigation is provided.
- ² Provides gains in a whole suite of functions both at the site and sub-basin scale. Rehabilitation actions often focus on restoring environmental processes that have been disturbed or altered by previous and/or ongoing human activity.
- ³ Actions which provide gains in only a few functions. Enhancement action often focuses on structural or superficial improvements to a site and generally does not address larger scale environmental processes.
- ⁴ Compensatory mitigation for vernal pool impacts must be seasonally ponded wetland area(s).
 - Increased Replacement Ratios. The Designated Official may increase the wetland mitigation ratios stated in Table CEMC XX.XX.070.6 under the following circumstances:
 - a. Uncertainty exists as to the probable success of the proposed restoration or creation;
 - A significant period of time will elapse between impact and replication of wetland functions;
 - Proposed mitigation will result in a lower category wetland or reduced functions relative to the wetland being impacts; or
 - d. The impact was an unauthorized impact.
 - 8. Alternative Mitigation Ratios. The Designated Official may approve different mitigation ratios when the applicant proposes a combination of wetland creation, restoration, rehabilitation, and/or enhancement, provided that federal and state resource agencies approve the mitigation plan and the plan achieves no net loss of wetland functions and values.
 - 9. Mitigation Ratios for Wetland Buffer Impacts. To mitigate impacts to functions and values of wetland buffers, a minimum buffer ratio of 1:1 (alteration area:mitigation area) is required. This ratio assumes that creation/restoration of a wetland buffer with appropriate native vegetation is sufficient to compensate for the wetland buffer functions and values affected by alteration of an existing wetland buffer. If enhancement of an existing wetland buffer is proposed as mitigation, a higher mitigation ratio may be required. For any proposed wetland buffer alterations or development, the applicant must show that the functions and values of the altered wetland buffer will be fully replaced by the proposed mitigation. The Designated Official may increase the buffer mitigation ratios under the following circumstances:
 - a. The replacement ratio needed to recover the lost functions and values of buffer area is greater than 1:1 based upon the existing type of vegetative cover of either the impact site or the proposed mitigation site.
 - b. Uncertainty exists as to the probable success of the proposed restoration or creation;
 - A significant period of time will elapse between impact and replication of wetland functions:
 - d. The impact was an unauthorized impact.
 - 10. Mitigation Plans. Compensatory wetland mitigation plan shall be consistent with "Guidance on Wetland Mitigation in Washington State Part 2: Developing Mitigation Plans" (Ecology Publication # 06-06-011b), or as revised. Mitigation plans shall include the general mitigation plan requirements in CEMC XX.XX.100, as well as the following information:
 - a. Existing and proposed wetland acreage,
 - b. Vegetative and faunal conditions;
 - Surface and subsurface hydrologic conditions including an analysis of existing and future hydrologic regime and proposed hydrologic regime for enhanced, created, or restored mitigation areas;
 - d. Relationship within watershed and to existing waterbodies;
 - e. Soils and substrate conditions, topographic elevations;
 - f. Existing and proposed adjacent site conditions;

- g. Required wetland buffers (including any buffer reduction or averaging and mitigation proposed to enhance buffers);
 h. Property ownership;
- i. A discussion of ongoing management practices that will protect wetlands after the project site has been developed, including proposed monitoring and maintenance programs and an addition to the property's title identifying the wetland as a mitigation
- A bond estimate for the installation (including site preparation, plant materials and installation, fertilizers, mulch) and the proposed monitoring and maintenance work for the required number of years, pursuant to CEMC XX.XX.100.